

# Oak Bluffs

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.44	5	205	Male	1.76	3	NC*
Female	0.94	2	NC*	Female	1.36	3	NC*
Total	3.38	7	207	Total	3.12	6	193
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.79	4	NC*	Male	0.50	0	NC*
Female	0.66	0	NC*	Female	0.47	0	NC*
Total	1.46	4	NC*	Total	0.97	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.12	0	NC*	Male	1.99	0	NC*
Female	15.70	19	121	Female	1.85	7	379 ~+
Total	15.82	19	120	Total	3.84	7	182
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.80	2	NC*	Male	1.56	2	NC*
				Female	0.78	0	NC*
				Total	2.34	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	6.13	5	82	Female	1.81	2	NC*
Female	6.15	5	81				
Total	12.28	10	81				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.91	4	NC*	Male	1.09	2	NC*
Female	0.29	0	NC*	Female	1.20	2	NC*
Total	1.20	4	NC*	Total	2.30	4	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.35	0	NC*	Male	15.87	19	120
Female	0.29	2	NC*				
Total	0.64	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.50	2	NC*	Male	1.06	1	NC*
Female	0.95	1	NC*	Female	0.66	2	NC*
Total	2.45	3	NC*	Total	1.72	3	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.82	2	NC*	Male	0.54	0	NC*
Female	0.22	0	NC*				
Total	1.03	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.22	2	NC*	Male	0.34	1	NC*
Female	0.99	1	NC*	Female	0.95	1	NC*
Total	2.21	3	NC*	Total	1.29	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.65	1	NC*	Female	3.02	2	NC*
Female	0.26	0	NC*				
Total	0.91	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	7.87	8	102	Male	50.83	63	124 >
Female	6.86	5	73	Female	49.81	60	120 >
Total	14.73	13	88	Total	100.64	123	122 #+

Note: Explanation of all symbols is on page 361

# Oakham

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.98	0	NC*	Male	0.80	0	NC*
Female	0.30	0	NC*	Female	0.57	0	NC*
Total	1.28	0	NC*	Total	1.36	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.37	0	NC*	Male	0.22	0	NC*
Female	0.28	0	NC*	Female	0.16	0	NC*
Total	0.65	0	NC*	Total	0.38	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.05	1	NC*	Male	0.87	2	NC*
Female	6.41	2	NC*	Female	0.66	1	NC*
Total	6.46	3	NC*	Total	1.53	3	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.36	0	NC*	Male	0.74	0	NC*
				Female	0.30	0	NC*
				Total	1.04	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	2.50	3	NC*	Female	0.73	0	NC*
Female	1.98	3	NC*				
Total	4.49	6	134				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.41	1	NC*	Male	0.46	0	NC*
Female	0.09	0	NC*	Female	0.38	0	NC*
Total	0.50	1	NC*	Total	0.85	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.16	0	NC*	Male	7.08	5	71
Female	0.13	1	NC*				
Total	0.29	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.69	0	NC*	Male	0.43	0	NC*
Female	0.36	1	NC*	Female	0.21	0	NC*
Total	1.04	1	NC*	Total	0.65	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.38	1	NC*	Male	0.22	0	NC*
Female	0.08	0	NC*				
Total	0.47	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.54	1	NC*	Male	0.16	0	NC*
Female	0.38	0	NC*	Female	0.45	0	NC*
Total	0.92	1	NC*	Total	0.61	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.30	0	NC*	Female	1.23	2	NC*
Female	0.09	0	NC*				
Total	0.38	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	3.37	1	NC*	Male	22.10	18	81 >
Female	2.44	1	NC*	Female	18.85	11	58 >
Total	5.81	2	NC*	Total	40.95	29	71 >

# Orange

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.59	5	109	Male	3.35	3	NC*
Female	1.99	1	NC*	Female	2.85	3	NC*
Total	6.57	6	91	Total	6.19	6	97
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.56	1	NC*	Male	0.95	0	NC*
Female	1.41	1	NC*	Female	0.97	1	NC*
Total	2.97	2	NC*	Total	1.92	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin'(s) Lymphoma</u></b>			
Male	0.23	0	NC*	Male	3.81	5	131
Female	31.98	21	66	Female	3.85	7	182
Total	32.21	21	65 #-	Total	7.66	12	157
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.70	3	NC*	Male	2.94	4	NC*
				Female	1.61	1	NC*
				Total	4.55	5	110
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	11.55	4	NC*	Female	3.72	5	135
Female	13.06	13	100				
Total	24.60	17	69				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.71	2	NC*	Male	2.06	0	NC*
Female	0.61	0	NC*	Female	2.54	2	NC*
Total	2.33	2	NC*	Total	4.60	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.70	0	NC*	Male	30.08	18	60 #-
Female	0.65	1	NC*				
Total	1.35	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.86	1	NC*	Male	1.99	1	NC*
Female	1.94	3	NC*	Female	1.43	0	NC*
Total	4.79	4	NC*	Total	3.41	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.55	1	NC*	Male	1.08	1	NC*
Female	0.43	0	NC*				
Total	1.98	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.38	6	252	Male	0.66	2	NC*
Female	2.14	3	NC*	Female	2.04	5	246
Total	4.51	9	199	Total	2.70	7	260 #+
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.23	3	NC*	Female	6.05	5	83
Female	0.56	0	NC*				
Total	1.79	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	14.93	10	67	Male	96.53	74	77 #-
Female	13.82	10	72	Female	102.99	95	92
Total	28.75	20	70	Total	199.53	169	85 #-

Note: Explanation of all symbols is on page 361

# Orleans

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	9.08	15	165	Male	5.01	9	179
Female	3.32	6	181	Female	3.48	8	230
Total	12.40	21	169 #+	Total	8.49	17	200 #+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.99	1	NC*	Male	1.71	2	NC*
Female	1.72	1	NC*	Female	1.53	1	NC*
Total	3.71	2	NC*	Total	3.24	3	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.39	1	NC*	Male	6.06	5	83
Female	42.52	66	155 ~+	Female	5.70	11	193
Total	42.91	67	156 ^+	Total	11.76	16	136
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.77	0	NC*	Male	4.28	5	117
				Female	2.31	3	NC*
				Total	6.59	8	121
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	22.02	20	91	Female	4.84	6	124
Female	22.05	18	82				
Total	44.08	38	86				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.85	2	NC*	Male	3.77	5	133
Female	1.03	2	NC*	Female	4.28	4	NC*
Total	3.88	4	NC*	Total	8.04	9	112
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.64	0	NC*	Male	50.30	102	203 ^+
Female	0.58	0	NC*				
Total	1.22	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.50	3	NC*	Male	3.83	2	NC*
Female	2.76	1	NC*	Female	2.43	1	NC*
Total	7.26	4	NC*	Total	6.26	3	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.37	2	NC*	Male	0.80	0	NC*
Female	0.59	0	NC*				
Total	2.97	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	3.77	3	NC*	Male	0.72	0	NC*
Female	3.02	2	NC*	Female	1.83	3	NC*
Total	6.79	5	74	Total	2.56	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.90	1	NC*	Female	8.17	13	159
Female	0.91	2	NC*				
Total	2.81	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	26.38	27	102	Male	163.60	219	134 ^+
Female	20.79	22	106	Female	147.76	184	125 ~+
Total	47.17	49	104	Total	311.36	403	129 ^+

# Otis

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.65	1	NC*	Male	0.51	1	NC*
Female	0.23	0	NC*	Female	0.38	0	NC*
Total	0.88	1	NC*	Total	0.89	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.24	2	NC*	Male	0.14	0	NC*
Female	0.18	1	NC*	Female	0.11	0	NC*
Total	0.42	3	NC*	Total	0.25	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.03	0	NC*	Male	0.57	0	NC*
Female	4.11	3	NC*	Female	0.46	1	NC*
Total	4.15	3	NC*	Total	1.03	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.24	1	NC*	Male	0.46	0	NC*
				Female	0.20	0	NC*
				Total	0.66	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	1.67	3	NC*	Female	0.48	1	NC*
Female	1.49	2	NC*				
Total	3.15	5	159				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.26	0	NC*	Male	0.30	0	NC*
Female	0.07	0	NC*	Female	0.29	0	NC*
Total	0.33	0	NC*	Total	0.59	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.11	0	NC*	Male	4.58	4	NC*
Female	0.09	0	NC*				
Total	0.20	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.43	0	NC*	Male	0.29	0	NC*
Female	0.24	0	NC*	Female	0.16	0	NC*
Total	0.67	0	NC*	Total	0.45	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.24	2	NC*	Male	0.18	0	NC*
Female	0.05	0	NC*				
Total	0.29	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.35	0	NC*	Male	0.11	0	NC*
Female	0.26	2	NC*	Female	0.29	0	NC*
Total	0.61	2	NC*	Total	0.40	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.19	0	NC*	Female	0.77	1	NC*
Female	0.06	0	NC*				
Total	0.25	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	2.22	3	NC*	Male	14.47	17	117 >
Female	1.63	3	NC*	Female	12.69	16	126 >
Total	3.85	6	156	Total	27.16	33	122 >

Note: Explanation of all symbols is on page 361

# Oxford

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	7.64	7	92	Male	5.78	6	104
Female	2.88	3	NC*	Female	4.63	5	108
Total	10.52	10	95	Total	10.41	11	106
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.69	3	NC*	Male	1.59	1	NC*
Female	2.24	4	NC*	Female	1.45	1	NC*
Total	4.93	7	142	Total	3.05	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.39	1	NC*	Male	6.53	6	92
Female	51.58	48	93	Female	5.86	5	85
Total	51.96	49	94	Total	12.39	11	89
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.87	4	NC*	Male	5.10	3	NC*
				Female	2.50	1	NC*
				Total	7.60	4	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	19.31	16	83	Female	5.99	9	150
Female	18.76	18	96				
Total	38.08	34	89				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.89	1	NC*	Male	3.47	4	NC*
Female	0.89	1	NC*	Female	3.65	5	137
Total	3.78	2	NC*	Total	7.13	9	126
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.26	2	NC*	Male	50.23	40	80
Female	1.08	0	NC*				
Total	2.35	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.85	10	206	Male	3.38	2	NC*
Female	3.02	3	NC*	Female	2.03	2	NC*
Total	7.87	13	165	Total	5.41	4	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.63	2	NC*	Male	2.00	2	NC*
Female	0.69	1	NC*				
Total	3.31	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	4.02	6	149	Male	1.18	2	NC*
Female	3.24	3	NC*	Female	3.52	2	NC*
Total	7.26	9	124	Total	4.70	4	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.09	2	NC*	Female	9.77	6	61
Female	0.81	0	NC*				
Total	2.90	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	24.75	22	89	Male	162.54	149	92
Female	21.24	13	61	Female	160.03	146	91
Total	45.99	35	76	Total	322.57	295	91

# Palmer

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	8.36	12	144	Male	5.84	2	NC*
Female	3.41	3	NC*	Female	4.73	5	106
Total	11.77	15	127	Total	10.57	7	66
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.64	2	NC*	Male	1.70	1	NC*
Female	2.33	4	NC*	Female	1.65	1	NC*
Total	4.97	6	121	Total	3.36	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.41	0	NC*	Male	6.71	4	NC*
Female	53.34	48	90	Female	6.53	4	NC*
Total	53.76	48	89	Total	13.24	8	60
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.80	6	215	Male	5.06	7	138
<b><u>Colon / Rectum</u></b>				Female	2.70	2	NC*
Male	20.90	19	91	Total	7.76	9	116
Female	22.45	20	89	<b><u>Ovary</u></b>			
Total	43.35	39	90	Female	6.20	11	178
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	3.01	2	NC*	Male	3.69	1	NC*
Female	1.06	1	NC*	Female	4.36	4	NC*
Total	4.07	3	NC*	Total	8.06	5	62
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.18	0	NC*	Male	52.82	47	89
Female	1.05	2	NC*	<b><u>Stomach</u></b>			
Total	2.23	2	NC*	Male	3.61	6	166
<b><u>Kidney &amp; Renal Pelvis</u></b>				Female	2.45	5	204
Male	4.99	5	100	Total	6.06	11	182
Female	3.26	3	NC*	<b><u>Testis</u></b>			
Total	8.25	8	97	Male	1.84	3	NC*
<b><u>Larynx</u></b>				<b><u>Thyroid</u></b>			
Male	2.68	8	299 #+	Male	1.12	0	NC*
Female	0.72	2	NC*	Female	3.32	3	NC*
Total	3.40	10	294 ~+	Total	4.44	3	NC*
<b><u>Leukemia</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	4.16	5	120	Female	10.09	12	119
Female	3.57	5	140	<b><u>All Sites / Types</u></b>			
Total	7.72	10	129	Male	170.77	172	101
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				Female	173.49	168	97
Male	2.14	4	NC*	Total	344.26	340	99
Female	0.95	2	NC*				
Total	3.09	6	194				
<b><u>Lung and Bronchus</u></b>							
Male	26.58	37	139				
Female	23.45	20	85				
Total	50.03	57	114				

Note: Explanation of all symbols is on page 361

# Paxton

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	3.43	2	NC*	Male	2.44	4	NC*
Female	1.14	0	NC*	Female	1.77	3	NC*
Total	4.57	2	NC*	Total	4.21	7	166
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.08	0	NC*	Male	0.72	0	NC*
Female	0.86	1	NC*	Female	0.59	1	NC*
Total	1.94	1	NC*	Total	1.30	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.17	1	NC*	Male	2.74	2	NC*
Female	20.79	18	87	Female	2.31	0	NC*
Total	20.96	19	91	Total	5.04	2	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.06	0	NC*	Male	2.23	0	NC*
				Female	1.01	0	NC*
				Total	3.24	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	8.67	4	NC*	Female	2.38	1	NC*
Female	7.36	4	NC*				
Total	16.03	8	50 #				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.32	0	NC*	Male	1.56	1	NC*
Female	0.35	0	NC*	Female	1.45	1	NC*
Total	1.67	0	NC*	Total	3.01	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.43	0	NC*	Male	23.59	17	72
Female	0.37	0	NC*				
Total	0.80	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.13	5	234	Male	1.49	1	NC*
Female	1.22	1	NC*	Female	0.79	0	NC*
Total	3.36	6	179	Total	2.27	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.20	1	NC*	Male	0.59	1	NC*
Female	0.29	0	NC*				
Total	1.49	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.67	2	NC*	Male	0.46	1	NC*
Female	1.25	1	NC*	Female	1.26	2	NC*
Total	2.92	3	NC*	Total	1.72	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.93	0	NC*	Female	4.04	5	124
Female	0.32	0	NC*				
Total	1.25	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	11.41	7	61	Male	72.81	53	73 #->
Female	8.75	6	69	Female	63.75	48	75 #->
Total	20.16	13	64	Total	136.56	101	74 ~



# Peabody

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	35.96	41	114	Male	25.43	28	110
Female	14.07	19	135	Female	20.04	15	75
Total	50.02	60	120	Total	45.47	43	95
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	11.42	7	61	Male	7.41	9	121
Female	9.71	9	93	Female	6.97	13	187
Total	21.13	16	76	Total	14.38	22	153
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	1.81	2	NC*	Male	28.86	34	118
Female	230.88	248	107	Female	27.35	31	113
Total	232.69	250	107	Total	56.21	65	116
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	11.85	11	93	Male	22.63	20	88
				Female	11.52	10	87
				Total	34.15	30	88
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	90.72	98	108	Female	26.68	26	97
Female	91.48	101	110				
Total	182.20	199	109				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	13.49	14	104	Male	16.11	20	124
Female	4.34	2	NC*	Female	17.97	19	106
Total	17.83	16	90	Total	34.08	39	114
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	4.93	11	223 #+	Male	241.19	256	106
Female	4.29	3	NC*				
Total	9.22	14	152				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	21.92	28	128	Male	15.51	15	97
Female	14.01	16	114	Female	9.90	7	71
Total	35.93	44	122	Total	25.40	22	87
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	12.13	14	115	Male	7.52	8	106
Female	3.21	2	NC*				
Total	15.35	16	104				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	17.60	18	102	Male	4.90	4	NC*
Female	14.62	20	137	Female	13.99	16	114
Total	32.22	38	118	Total	18.89	20	106
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	9.48	11	116	Female	44.31	52	117
Female	3.93	3	NC*				
Total	13.41	14	104				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	118.30	142	120 #+	Male	755.57	828	110 ~+
Female	101.36	115	113	Female	735.73	801	109 #+
Total	219.66	257	117 #+	Total	1491.30	1629	109 ^+

Note: Explanation of all symbols is on page 361

# Pelham

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.01	1	NC*	Male	0.73	1	NC*
Female	0.30	0	NC*	Female	0.53	0	NC*
Total	1.31	1	NC*	Total	1.27	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.33	0	NC*	Male	0.21	0	NC*
Female	0.25	0	NC*	Female	0.16	0	NC*
Total	0.58	0	NC*	Total	0.37	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.05	0	NC*	Male	0.82	0	NC*
Female	6.01	6	100	Female	0.64	0	NC*
Total	6.06	6	99	Total	1.47	0	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.34	0	NC*	Male	0.67	0	NC*
				Female	0.28	0	NC*
				Total	0.95	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	2.56	2	NC*	Female	0.69	1	NC*
Female	1.95	2	NC*				
Total	4.51	4	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.39	0	NC*	Male	0.46	0	NC*
Female	0.09	0	NC*	Female	0.38	0	NC*
Total	0.48	0	NC*	Total	0.84	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.14	0	NC*	Male	6.91	8	116
Female	0.12	0	NC*				
Total	0.26	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.63	2	NC*	Male	0.45	0	NC*
Female	0.34	1	NC*	Female	0.20	0	NC*
Total	0.97	3	NC*	Total	0.65	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.35	0	NC*	Male	0.21	0	NC*
Female	0.08	0	NC*				
Total	0.43	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.50	0	NC*	Male	0.14	1	NC*
Female	0.34	0	NC*	Female	0.42	0	NC*
Total	0.84	0	NC*	Total	0.56	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.27	0	NC*	Female	1.15	3	NC*
Female	0.09	0	NC*				
Total	0.36	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	3.31	2	NC*	Male	21.50	21	98 >
Female	2.40	0	NC*	Female	17.98	14	78 >
Total	5.71	2	NC*	Total	39.48	35	89

# Pembroke

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	8.01	24	300 ^+	Male	6.64	7	105
Female	2.77	4	NC*	Female	5.05	5	99
Total	10.78	28	260 ^+	Total	11.69	12	103
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.14	0	NC*	Male	1.75	3	NC*
Female	2.42	6	248	Female	1.46	4	NC*
Total	5.56	6	108	Total	3.21	7	218
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.43	0	NC*	Male	7.29	7	96
Female	56.44	70	124	Female	5.93	3	NC*
Total	56.86	70	123	Total	13.23	10	76
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.22	7	218	Male	6.06	6	99
				Female	2.64	4	NC*
				Total	8.70	10	115
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	20.56	14	68	Female	6.49	10	154
Female	18.06	12	66				
Total	38.62	26	67 #-				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	3.29	5	152	Male	3.79	7	185
Female	0.86	3	NC*	Female	3.49	5	143
Total	4.15	8	193	Total	7.28	12	165
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.48	1	NC*	Male	56.98	53	93
Female	1.19	0	NC*				
Total	2.66	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	5.56	9	162	Male	3.61	5	138
Female	3.15	2	NC*	Female	1.95	1	NC*
Total	8.71	11	126	Total	5.56	6	108
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.08	1	NC*	Male	2.27	2	NC*
Female	0.73	0	NC*				
Total	3.81	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	4.47	2	NC*	Male	1.42	1	NC*
Female	3.40	2	NC*	Female	3.98	6	151
Total	7.87	4	NC*	Total	5.40	7	130
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.41	0	NC*	Female	10.74	11	102
Female	0.80	1	NC*				
Total	3.21	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	27.18	30	110	Male	180.99	188	104
Female	21.60	29	134	Female	167.72	196	117 #-
Total	48.79	59	121	Total	348.71	384	110

Note: Explanation of all symbols is on page 361

# Pepperell

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.87	10	206	Male	4.37	6	137
Female	1.84	1	NC*	Female	3.50	0	NC*
Total	6.71	11	164	Total	7.88	6	76
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.15	1	NC*	Male	1.09	1	NC*
Female	1.68	0	NC*	Female	0.97	1	NC*
Total	3.83	1	NC*	Total	2.06	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.27	0	NC*	Male	4.76	2	NC*
Female	38.18	38	100	Female	4.01	7	175
Total	38.45	38	99	Total	8.77	9	103
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.27	4	NC*	Male	3.98	1	NC*
				Female	1.77	2	NC*
				Total	5.76	3	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	12.63	10	79	Female	4.42	3	NC*
Female	12.02	14	117				
Total	24.64	24	97				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.09	0	NC*	Male	2.36	3	NC*
Female	0.57	1	NC*	Female	2.31	1	NC*
Total	2.66	1	NC*	Total	4.68	4	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.08	0	NC*	Male	35.72	33	92
Female	0.87	3	NC*				
Total	1.94	3	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	3.60	2	NC*	Male	2.23	2	NC*
Female	2.12	4	NC*	Female	1.31	0	NC*
Total	5.72	6	105	Total	3.54	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.98	0	NC*	Male	1.71	1	NC*
Female	0.49	0	NC*				
Total	2.47	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.94	4	NC*	Male	0.99	0	NC*
Female	2.33	3	NC*	Female	2.86	4	NC*
Total	5.28	7	133	Total	3.85	4	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.56	1	NC*	Female	7.19	5	70
Female	0.53	1	NC*				
Total	2.09	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	16.90	9	53	Male	114.65	92	80 #-
Female	14.29	14	98	Female	113.21	109	96 >
Total	31.19	23	74	Total	227.86	201	88

Note: Explanation of all symbols is on page 361

# Peru

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.52	1	NC*	Male	0.39	0	NC*
Female	0.14	0	NC*	Female	0.26	1	NC*
Total	0.65	1	NC*	Total	0.64	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.18	0	NC*	Male	0.11	0	NC*
Female	0.13	0	NC*	Female	0.07	0	NC*
Total	0.30	0	NC*	Total	0.18	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.03	0	NC*	Male	0.43	1	NC*
Female	2.80	0	NC*	Female	0.31	0	NC*
Total	2.82	0	NC*	Total	0.74	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.17	0	NC*	Male	0.35	0	NC*
				Female	0.13	0	NC*
				Total	0.48	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	1.30	0	NC*	Female	0.33	0	NC*
Female	0.91	0	NC*				
Total	2.21	0	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.20	0	NC*	Male	0.24	0	NC*
Female	0.04	0	NC*	Female	0.18	0	NC*
Total	0.24	0	NC*	Total	0.41	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.08	0	NC*	Male	3.36	1	NC*
Female	0.07	0	NC*				
Total	0.14	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.33	0	NC*	Male	0.23	0	NC*
Female	0.16	0	NC*	Female	0.10	0	NC*
Total	0.49	0	NC*	Total	0.33	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.18	0	NC*	Male	0.12	0	NC*
Female	0.04	0	NC*				
Total	0.21	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.27	0	NC*	Male	0.08	0	NC*
Female	0.17	0	NC*	Female	0.21	1	NC*
Total	0.44	0	NC*	Total	0.29	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.14	0	NC*	Female	0.53	1	NC*
Female	0.04	0	NC*				
Total	0.18	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	1.64	2	NC*	Male	10.86	5	46 >
Female	1.10	0	NC*	Female	8.44	4	NC*
Total	2.74	2	NC*	Total	19.29	9	47 #>

Note: Explanation of all symbols is on page 361

# Petersham

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.92	1	NC*	Male	0.65	0	NC*
Female	0.38	1	NC*	Female	0.49	0	NC*
Total	1.30	2	NC*	Total	1.14	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.28	0	NC*	Male	0.19	0	NC*
Female	0.24	0	NC*	Female	0.18	0	NC*
Total	0.52	0	NC*	Total	0.37	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.05	1	NC*	Male	0.73	3	NC*
Female	5.82	6	103	Female	0.70	0	NC*
Total	5.86	7	119	Total	1.44	3	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.28	1	NC*	Male	0.57	0	NC*
				Female	0.30	0	NC*
				Total	0.87	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	2.30	4	NC*	Female	0.66	2	NC*
Female	2.51	1	NC*				
Total	4.82	5	104				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.34	0	NC*	Male	0.41	0	NC*
Female	0.12	0	NC*	Female	0.49	1	NC*
Total	0.45	0	NC*	Total	0.90	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.12	0	NC*	Male	5.84	8	137
Female	0.09	0	NC*				
Total	0.21	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.56	0	NC*	Male	0.40	0	NC*
Female	0.35	0	NC*	Female	0.28	0	NC*
Total	0.91	0	NC*	Total	0.68	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.30	0	NC*	Male	0.17	1	NC*
Female	0.08	0	NC*				
Total	0.38	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.45	0	NC*	Male	0.12	0	NC*
Female	0.38	0	NC*	Female	0.32	0	NC*
Total	0.83	0	NC*	Total	0.44	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.24	0	NC*	Female	1.11	1	NC*
Female	0.11	0	NC*				
Total	0.34	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	2.92	2	NC*	Male	18.81	20	106 >
Female	2.56	1	NC*	Female	18.90	17	90 >
Total	5.48	3	NC*	Total	37.71	37	98 >

# Phillipston

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.98	0	NC*	Male	0.83	0	NC*
Female	0.25	0	NC*	Female	0.55	0	NC*
Total	1.23	0	NC*	Total	1.38	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.39	0	NC*	Male	0.21	0	NC*
Female	0.26	0	NC*	Female	0.14	1	NC*
Total	0.65	0	NC*	Total	0.35	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.05	0	NC*	Male	0.91	1	NC*
Female	5.75	1	NC*	Female	0.59	0	NC*
Total	5.80	1	NC*	Total	1.50	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.37	0	NC*	Male	0.75	0	NC*
				Female	0.26	0	NC*
				Total	1.01	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	2.52	1	NC*	Female	0.67	0	NC*
Female	1.62	0	NC*				
Total	4.14	1	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.41	0	NC*	Male	0.47	0	NC*
Female	0.08	0	NC*	Female	0.31	0	NC*
Total	0.48	0	NC*	Total	0.78	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.20	0	NC*	Male	7.04	3	NC*
Female	0.15	0	NC*				
Total	0.34	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.68	0	NC*	Male	0.44	0	NC*
Female	0.31	0	NC*	Female	0.17	0	NC*
Total	0.99	0	NC*	Total	0.62	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.38	0	NC*	Male	0.32	0	NC*
Female	0.07	0	NC*				
Total	0.45	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.55	0	NC*	Male	0.18	0	NC*
Female	0.34	0	NC*	Female	0.48	0	NC*
Total	0.88	0	NC*	Total	0.67	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.30	0	NC*	Female	1.07	1	NC*
Female	0.07	0	NC*				
Total	0.37	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	3.34	1	NC*	Male	22.36	7	31 ^->
Female	2.07	1	NC*	Female	16.67	5	30 ~->
Total	5.40	2	NC*	Total	39.03	12	31 ^->

Note: Explanation of all symbols is on page 361

# Pittsfield

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	34.83	26	75	Male	23.06	21	91
Female	14.41	10	69	Female	18.73	14	75
Total	49.24	36	73	Total	41.79	35	84
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	10.27	10	97	Male	6.93	9	130
Female	9.26	7	76	Female	6.91	3	NC*
Total	19.53	17	87	Total	13.84	12	87
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	1.66	2	NC*	Male	26.84	20	75
Female	214.97	237	110	Female	26.93	18	67
Total	216.63	239	110	Total	53.77	38	71 #-
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	10.75	12	112	Male	19.96	19	95
				Female	11.07	4	NC*
				Total	31.03	23	74
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	86.60	98	113	Female	24.91	29	116
Female	94.74	80	84				
Total	181.34	178	98				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	12.18	10	82	Male	15.17	21	138
Female	4.46	3	NC*	Female	18.47	11	60
Total	16.64	13	78	Total	33.64	32	95
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	4.41	2	NC*	Male	215.00	199	93
Female	3.98	1	NC*				
Total	8.39	3	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	19.84	16	81	Male	14.97	12	80
Female	13.38	12	90	Female	10.34	6	58
Total	33.22	28	84	Total	25.32	18	71
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	10.67	12	112	Male	6.77	5	74
Female	2.95	4	NC*				
Total	13.62	16	117				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	16.63	14	84	Male	4.25	3	NC*
Female	14.54	10	69	Female	12.49	11	88
Total	31.17	24	77	Total	16.74	14	84
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	8.49	5	59	Female	40.88	36	88
Female	4.00	4	NC*				
Total	12.50	9	72				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	108.64	111	102	Male	693.55	675	97
Female	97.57	97	99	Female	710.02	645	91 #-
Total	206.21	208	101	Total	1403.57	1320	94 #-



# Plainfield

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.51	0	NC*	Male	0.34	0	NC*
Female	0.13	0	NC*	Female	0.21	0	NC*
Total	0.64	0	NC*	Total	0.55	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.14	0	NC*	Male	0.10	0	NC*
Female	0.10	0	NC*	Female	0.07	0	NC*
Total	0.25	0	NC*	Total	0.17	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.02	0	NC*	Male	0.38	0	NC*
Female	2.50	4	NC*	Female	0.28	0	NC*
Total	2.52	4	NC*	Total	0.66	0	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.13	0	NC*	Male	0.30	0	NC*
				Female	0.12	0	NC*
				Total	0.42	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	1.26	0	NC*	Female	0.28	0	NC*
Female	0.87	1	NC*				
Total	2.13	1	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.18	0	NC*	Male	0.22	0	NC*
Female	0.04	0	NC*	Female	0.17	0	NC*
Total	0.22	0	NC*	Total	0.39	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.05	0	NC*	Male	3.19	3	NC*
Female	0.04	0	NC*				
Total	0.10	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.30	0	NC*	Male	0.22	0	NC*
Female	0.15	0	NC*	Female	0.09	0	NC*
Total	0.44	0	NC*	Total	0.31	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.16	0	NC*	Male	0.07	0	NC*
Female	0.03	0	NC*				
Total	0.20	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.24	0	NC*	Male	0.06	0	NC*
Female	0.15	0	NC*	Female	0.15	0	NC*
Total	0.39	0	NC*	Total	0.21	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.13	0	NC*	Female	0.49	0	NC*
Female	0.04	0	NC*				
Total	0.17	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	1.60	1	NC*	Male	10.13	4	NC*
Female	1.05	1	NC*	Female	7.61	6	79 >
Total	2.65	2	NC*	Total	17.74	10	56 >

# Plainville

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.55	5	110	Male	3.50	4	NC*
Female	1.94	3	NC*	Female	2.91	4	NC*
Total	6.49	8	123	Total	6.40	8	125
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.62	3	NC*	Male	0.95	1	NC*
Female	1.39	2	NC*	Female	0.96	1	NC*
Total	3.01	5	166	Total	1.91	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.23	0	NC*	Male	3.94	5	127
Female	32.36	25	77	Female	3.79	3	NC*
Total	32.59	25	77	Total	7.74	8	103
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.77	2	NC*	Male	3.08	0	NC*
				Female	1.60	1	NC*
				Total	4.68	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	11.55	9	78	Female	3.76	1	NC*
Female	12.69	9	71				
Total	24.24	18	74				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.74	2	NC*	Male	2.08	0	NC*
Female	0.60	0	NC*	Female	2.47	1	NC*
Total	2.34	2	NC*	Total	4.55	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.79	1	NC*	Male	30.33	29	96
Female	0.66	2	NC*				
Total	1.45	3	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.91	1	NC*	Male	2.02	1	NC*
Female	1.92	2	NC*	Female	1.40	0	NC*
Total	4.83	3	NC*	Total	3.42	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.58	1	NC*	Male	1.29	1	NC*
Female	0.43	0	NC*				
Total	2.01	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.40	0	NC*	Male	0.74	1	NC*
Female	2.09	1	NC*	Female	2.14	4	NC*
Total	4.49	1	NC*	Total	2.87	5	174
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.25	1	NC*	Female	6.10	4	NC*
Female	0.54	0	NC*				
Total	1.80	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	14.87	22	148	Male	97.88	91	93 >
Female	13.60	16	118	Female	102.64	91	89
Total	28.47	38	133	Total	200.52	182	91

# Plymouth

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	29.07	35	120	Male	22.10	30	136
Female	11.29	15	133	Female	17.57	13	74
Total	40.36	50	124	Total	39.67	43	108
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	10.24	13	127	Male	6.09	9	148
Female	8.54	12	141	Female	5.63	9	160
Total	18.78	25	133	Total	11.72	18	154
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	1.47	0	NC*	Male	24.89	25	100
Female	196.33	194	99	Female	22.53	24	107
Total	197.80	194	98	Total	47.42	49	103
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	10.77	14	130	Male	19.58	25	128
				Female	9.60	8	83
				Total	29.18	33	113
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	73.34	84	115	Female	22.68	15	66
Female	74.45	70	94				
Total	147.80	154	104				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	11.02	7	63	Male	13.24	6	45 #-
Female	3.51	2	NC*	Female	14.34	13	91
Total	14.53	9	62	Total	27.58	19	69
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	4.76	6	126	Male	190.06	209	110
Female	4.02	5	124				
Total	8.77	11	125				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	18.60	24	129	Male	12.88	14	109
Female	11.45	16	140	Female	8.10	5	62
Total	30.05	40	133	Total	20.98	19	91
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	10.04	8	80	Male	7.41	11	148
Female	2.56	5	196				
Total	12.59	13	103				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	15.38	10	65	Male	4.50	6	133
Female	12.65	15	119	Female	13.06	12	92
Total	28.03	25	89	Total	17.56	18	103
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	7.99	4	NC*	Female	37.05	27	73
Female	3.19	2	NC*				
Total	11.18	6	54				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	93.82	90	96	Male	617.37	656	106
Female	80.47	93	116	Female	614.54	608	99
Total	174.29	183	105	Total	1231.91	1264	103

# Plympton

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>			
Male	1.36	2	NC*
Female	0.47	0	NC*
Total	1.83	2	NC*
<b><u>Brain and Other Nervous System</u></b>			
Male	0.56	0	NC*
Female	0.42	1	NC*
Total	0.98	1	NC*
<b><u>Breast</u></b>			
Male	0.08	0	NC*
Female	10.43	10	96
Total	10.51	10	95
<b><u>Cervix Uteri</u></b>			
Female	0.57	0	NC*
<b><u>Colon / Rectum</u></b>			
Male	3.53	3	NC*
Female	3.03	1	NC*
Total	6.56	4	NC*
<b><u>Esophagus</u></b>			
Male	0.60	1	NC*
Female	0.15	0	NC*
Total	0.74	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>			
Male	0.25	0	NC*
Female	0.19	0	NC*
Total	0.45	0	NC*
<b><u>Kidney &amp; Renal Pelvis</u></b>			
Male	1.02	0	NC*
Female	0.57	0	NC*
Total	1.58	0	NC*
<b><u>Larynx</u></b>			
Male	0.57	0	NC*
Female	0.14	0	NC*
Total	0.71	0	NC*
<b><u>Leukemia</u></b>			
Male	0.78	1	NC*
Female	0.57	0	NC*
Total	1.35	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>			
Male	0.44	0	NC*
Female	0.13	0	NC*
Total	0.58	0	NC*
<b><u>Lung and Bronchus</u></b>			
Male	4.83	3	NC*
Female	3.91	2	NC*
Total	8.74	5	57

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>			
Male	1.36	2	NC*
Female	0.47	0	NC*
Total	1.83	2	NC*
<b><u>Brain and Other Nervous System</u></b>			
Male	0.56	0	NC*
Female	0.42	1	NC*
Total	0.98	1	NC*
<b><u>Breast</u></b>			
Male	0.08	0	NC*
Female	10.43	10	96
Total	10.51	10	95
<b><u>Cervix Uteri</u></b>			
Female	0.57	0	NC*
<b><u>Colon / Rectum</u></b>			
Male	3.53	3	NC*
Female	3.03	1	NC*
Total	6.56	4	NC*
<b><u>Esophagus</u></b>			
Male	0.60	1	NC*
Female	0.15	0	NC*
Total	0.74	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>			
Male	0.25	0	NC*
Female	0.19	0	NC*
Total	0.45	0	NC*
<b><u>Kidney &amp; Renal Pelvis</u></b>			
Male	1.02	0	NC*
Female	0.57	0	NC*
Total	1.58	0	NC*
<b><u>Larynx</u></b>			
Male	0.57	0	NC*
Female	0.14	0	NC*
Total	0.71	0	NC*
<b><u>Leukemia</u></b>			
Male	0.78	1	NC*
Female	0.57	0	NC*
Total	1.35	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>			
Male	0.44	0	NC*
Female	0.13	0	NC*
Total	0.58	0	NC*
<b><u>Lung and Bronchus</u></b>			
Male	4.83	3	NC*
Female	3.91	2	NC*
Total	8.74	5	57

# Princeton

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.95	1	NC*	Male	1.65	2	NC*
Female	0.59	1	NC*	Female	1.16	2	NC*
Total	2.54	2	NC*	Total	2.81	4	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.76	0	NC*	Male	0.44	0	NC*
Female	0.54	1	NC*	Female	0.33	0	NC*
Total	1.30	1	NC*	Total	0.76	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.11	0	NC*	Male	1.77	1	NC*
Female	13.40	9	67	Female	1.31	1	NC*
Total	13.51	9	67	Total	3.08	2	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.74	2	NC*	Male	1.55	1	NC*
				Female	0.61	1	NC*
				Total	2.16	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	5.04	5	99	Female	1.52	1	NC*
Female	3.83	1	NC*				
Total	8.87	6	68				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.84	0	NC*	Male	0.94	0	NC*
Female	0.18	0	NC*	Female	0.74	1	NC*
Total	1.02	0	NC*	Total	1.68	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.33	0	NC*	Male	14.68	9	61
Female	0.25	0	NC*				
Total	0.58	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.41	0	NC*	Male	0.88	1	NC*
Female	0.72	0	NC*	Female	0.40	1	NC*
Total	2.14	0	NC*	Total	1.28	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.80	0	NC*	Male	0.47	0	NC*
Female	0.18	0	NC*				
Total	0.97	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.08	3	NC*	Male	0.34	0	NC*
Female	0.74	0	NC*	Female	0.91	0	NC*
Total	1.82	3	NC*	Total	1.25	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.62	0	NC*	Female	2.59	1	NC*
Female	0.17	0	NC*				
Total	0.79	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	6.88	3	NC*	Male	45.30	28	62 ~->
Female	4.96	0	NC*	Female	38.31	22	57 ~->
Total	11.83	3	NC*	Total	83.61	50	60 ^->

Note: Explanation of all symbols is on page 361

# Provincetown

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	3.31	5	151	Male	2.17	3	NC*
Female	1.18	0	NC*	Female	1.55	0	NC*
Total	4.49	5	111	Total	3.72	3	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.89	0	NC*	Male	0.66	1	NC*
Female	0.71	0	NC*	Female	0.57	0	NC*
Total	1.60	0	NC*	Total	1.23	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.16	0	NC*	Male	2.47	6	242
Female	18.39	21	114	Female	2.16	3	NC*
Total	18.55	21	113	Total	4.64	9	194
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.89	1	NC*	Male	1.94	2	NC*
				Female	0.93	0	NC*
				Total	2.86	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	8.22	7	85	Female	2.09	3	NC*
Female	7.73	11	142				
Total	15.95	18	113				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.18	3	NC*	Male	1.45	0	NC*
Female	0.36	0	NC*	Female	1.50	1	NC*
Total	1.54	3	NC*	Total	2.95	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.34	3	NC*	Male	20.69	18	87
Female	0.29	1	NC*				
Total	0.62	4	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.89	4	NC*	Male	1.43	4	NC*
Female	1.10	0	NC*	Female	0.86	1	NC*
Total	2.99	4	NC*	Total	2.29	5	218
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.04	1	NC*	Male	0.48	1	NC*
Female	0.25	2	NC*				
Total	1.28	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.48	3	NC*	Male	0.38	0	NC*
Female	1.16	2	NC*	Female	1.01	0	NC*
Total	2.63	5	190	Total	1.38	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.81	0	NC*	Female	3.52	4	NC*
Female	0.32	0	NC*				
Total	1.14	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	10.33	12	116	Male	65.57	93	142 ~+
Female	7.94	15	189 #+	Female	58.94	71	120
Total	18.26	27	148	Total	124.51	164	132 ^+

# Quincy

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	52.66	77	146 ~+	Male	37.52	44	117
Female	25.03	36	144 #+	Female	34.95	39	112
Total	77.69	113	145 ^+	Total	72.47	83	115
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	17.03	21	123	Male	10.64	11	103
Female	16.69	17	102	Female	11.95	8	67
Total	33.73	38	113	Total	22.59	19	84
<b><u>Breast</u></b>				<b><u>Non-Hodgkin'(s) Lymphoma</u></b>			
Male	2.59	3	NC*	Male	43.22	58	134 #+
Female	381.61	405	106	Female	47.58	44	92
Total	384.19	408	106	Total	90.80	102	112
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	21.09	27	128	Male	32.04	41	128
				Female	19.42	11	57
				Total	51.46	52	101
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	132.13	156	118 #+	Female	44.75	45	101
Female	164.87	175	106				
Total	297.00	331	111				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	18.94	27	143	Male	23.29	30	129
Female	7.73	7	91	Female	31.98	27	84
Total	26.67	34	127	Total	55.26	57	103
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	8.29	4	NC*	Male	332.06	325	98
Female	8.08	5	62				
Total	16.38	9	55				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	31.32	30	96	Male	22.89	25	109
Female	23.33	19	81	Female	18.21	16	88
Total	54.64	49	90	Total	41.10	41	100
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	16.80	25	149	Male	14.00	15	107
Female	5.03	9	179				
Total	21.83	34	156 #+				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	26.23	21	80	Male	7.60	9	118
Female	25.64	22	86	Female	25.40	23	91
Total	51.87	43	83	Total	33.00	32	97
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	13.42	32	238 ^+	Female	70.93	82	116
Female	6.96	9	129				
Total	20.38	41	201 ^+				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	167.05	194	116 #+	Male	1082.39	1241	115 ^+
Female	167.21	207	124 ~+	Female	1254.14	1331	106 #+
Total	334.25	401	120 ^+	Total	2336.53	2572	110 ^+

Note: Explanation of all symbols is on page 361

# Randolph

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	21.67	21	97	Male	15.41	13	84
Female	8.66	15	173	Female	12.54	13	104
Total	30.33	36	119	Total	27.95	26	93
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	6.96	3	NC*	Male	4.45	3	NC*
Female	6.02	8	133	Female	4.28	5	117
Total	12.98	11	85	Total	8.72	8	92
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	1.08	0	NC*	Male	17.54	23	131
Female	142.67	115	81 #-	Female	16.85	12	71
Total	143.75	115	80 #-	Total	34.39	35	102
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	7.50	3	NC*	Male	13.63	13	95
				Female	7.10	8	113
				Total	20.73	21	101
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	54.61	69	126	Female	16.52	16	97
Female	56.39	48	85				
Total	111.00	117	105				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	8.07	4	NC*	Male	9.70	11	113
Female	2.67	2	NC*	Female	11.05	6	54
Total	10.74	6	56	Total	20.75	17	82
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	3.10	0	NC*	Male	143.25	138	96
Female	2.74	2	NC*				
Total	5.83	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	13.17	8	61	Male	9.40	10	106
Female	8.60	9	105	Female	6.15	5	81
Total	21.77	17	78	Total	15.54	15	97
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	7.24	7	97	Male	4.82	6	125
Female	1.95	1	NC*				
Total	9.19	8	87				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	10.71	17	159	Male	3.01	4	NC*
Female	9.07	8	88	Female	8.92	13	146
Total	19.78	25	126	Total	11.94	17	142
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	5.68	4	NC*	Female	27.20	26	96
Female	2.42	4	NC*				
Total	8.10	8	99				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	70.55	77	109	Male	453.40	457	101
Female	61.77	84	136 ~+	Female	454.11	443	98
Total	132.33	161	122 #+	Total	907.51	900	99



# Raynham

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	7.05	3	NC*	Male	5.34	11	206 #+
Female	2.53	2	NC*	Female	4.09	4	NC*
Total	9.58	5	52	Total	9.42	15	159
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.43	5	205	Male	1.50	0	NC*
Female	1.97	2	NC*	Female	1.31	2	NC*
Total	4.40	7	159	Total	2.81	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin'(s) Lymphoma</u></b>			
Male	0.36	0	NC*	Male	5.94	10	168
Female	47.55	49	103	Female	5.21	5	96
Total	47.92	49	102	Total	11.15	15	135
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.49	5	201	Male	4.84	5	103
				Female	2.28	1	NC*
				Total	7.11	6	84
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	17.90	23	128	Female	5.44	6	110
Female	16.40	20	122				
Total	34.30	43	125				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.76	0	NC*	Male	3.24	4	NC*
Female	0.78	1	NC*	Female	3.21	7	218
Total	3.54	1	NC*	Total	6.45	11	171
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.06	2	NC*	Male	48.58	54	111
Female	0.88	3	NC*				
Total	1.94	5	258				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.57	5	109	Male	3.10	3	NC*
Female	2.76	3	NC*	Female	1.73	0	NC*
Total	7.34	8	109	Total	4.83	3	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.53	0	NC*	Male	1.57	3	NC*
Female	0.66	1	NC*				
Total	3.19	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	3.64	5	137	Male	1.06	1	NC*
Female	2.81	4	NC*	Female	2.99	4	NC*
Total	6.45	9	139	Total	4.05	5	123
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.98	3	NC*	Female	9.21	12	130
Female	0.72	0	NC*				
Total	2.70	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	23.54	35	149 #+	Male	152.69	192	126 ~+
Female	19.67	23	117	Female	144.53	160	111
Total	43.21	58	134 #+	Total	297.22	352	118 ~+

Note: Explanation of all symbols is on page 361

# Reading

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	15.67	11	70	Male	11.52	23	200 ~+
Female	5.86	6	102	Female	8.92	15	168
Total	21.54	17	79	Total	20.45	38	186 ^+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	5.23	9	172	Male	3.26	1	NC*
Female	4.29	4	NC*	Female	2.96	5	169
Total	9.52	13	137	Total	6.22	6	96
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.79	0	NC*	Male	12.97	13	100
Female	102.55	130	127 #+	Female	11.67	17	146
Total	103.34	130	126 #+	Total	24.63	30	122
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	5.38	6	112	Male	10.35	6	58
				Female	5.01	5	100
				Total	15.36	11	72
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	39.64	26	66 #-	Female	11.81	18	152
Female	38.11	38	100				
Total	77.75	64	82				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	5.99	8	134	Male	7.12	8	112
Female	1.81	2	NC*	Female	7.46	8	107
Total	7.80	10	128	Total	14.58	16	110
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.31	3	NC*	Male	105.54	91	86
Female	1.94	2	NC*				
Total	4.24	5	118				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	9.84	6	61	Male	6.87	7	102
Female	6.06	5	82	Female	4.12	3	NC*
Total	15.90	11	69	Total	10.99	10	91
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	5.43	2	NC*	Male	3.50	2	NC*
Female	1.40	0	NC*				
Total	6.83	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	7.91	5	63	Male	2.28	5	219
Female	6.36	1	NC*	Female	6.43	5	78
Total	14.27	6	42 #-	Total	8.70	10	115
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	4.25	2	NC*	Female	19.68	24	122
Female	1.65	0	NC*				
Total	5.90	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	51.46	42	82	Male	333.35	292	88 #-
Female	43.22	29	67 #-	Female	319.33	349	109
Total	94.68	71	75 #-	Total	652.68	641	98

# Rehoboth

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	5.96	8	134	Male	4.83	7	145
Female	1.98	0	NC*	Female	3.54	6	170
Total	7.94	8	101	Total	8.37	13	155
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.19	0	NC*	Male	1.30	0	NC*
Female	1.65	0	NC*	Female	1.05	1	NC*
Total	3.84	0	NC*	Total	2.36	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.32	0	NC*	Male	5.26	3	NC*
Female	40.57	46	113	Female	4.20	3	NC*
Total	40.88	46	113	Total	9.46	6	63
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.22	2	NC*	Male	4.50	3	NC*
				Female	1.89	0	NC*
				Total	6.39	3	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	15.27	10	66	Female	4.63	5	108
Female	12.84	8	62				
Total	28.11	18	64				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.46	1	NC*	Male	2.82	3	NC*
Female	0.61	0	NC*	Female	2.50	2	NC*
Total	3.08	1	NC*	Total	5.32	5	94
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.96	2	NC*	Male	42.77	35	82
Female	0.77	1	NC*				
Total	1.73	3	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.12	6	146	Male	2.68	1	NC*
Female	2.26	1	NC*	Female	1.38	2	NC*
Total	6.38	7	110	Total	4.06	3	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.31	1	NC*	Male	1.38	1	NC*
Female	0.54	0	NC*				
Total	2.84	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	3.18	2	NC*	Male	0.99	0	NC*
Female	2.33	4	NC*	Female	2.71	3	NC*
Total	5.51	6	109	Total	3.70	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.79	3	NC*	Female	7.81	5	64
Female	0.57	0	NC*				
Total	2.35	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	20.27	16	79	Male	133.70	103	77 ~->
Female	15.70	12	76	Female	119.72	109	91
Total	35.98	28	78	Total	253.42	212	84 ~-

# Revere

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	29.04	40	138	Male	19.15	23	120
Female	11.09	13	117	Female	15.07	19	126
Total	40.13	53	132	Total	34.21	42	123
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	8.59	14	163	Male	5.73	9	157
Female	7.44	5	67	Female	5.33	6	113
Total	16.03	19	119	Total	11.06	15	136
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	1.37	5	365 #+	Male	22.45	28	125
Female	168.65	201	119 #+	Female	21.09	34	161 #+
Total	170.02	206	121 ~+	Total	43.54	62	142 ~+
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	8.89	12	135	Male	16.30	21	129
				Female	8.62	7	81
				Total	24.92	28	112
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	72.01	98	136 ~+	Female	19.67	24	122
Female	73.05	95	130 #+				
Total	145.06	193	133 ^+				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	9.97	11	110	Male	12.56	18	143
Female	3.43	3	NC*	Female	14.20	29	204 ^+
Total	13.40	14	105	Total	26.76	47	176 ^+
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	3.84	9	235 #+	Male	174.90	162	93
Female	3.39	9	265 #+				
Total	7.23	18	249 ~+				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	16.33	22	135	Male	12.49	25	200 ~+
Female	10.41	20	192 #+	Female	7.96	15	188 #+
Total	26.74	42	157 ~+	Total	20.45	40	196 ^+
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	8.67	19	219 ~+	Male	6.09	10	164
Female	2.27	7	308 #+				
Total	10.94	26	238 ^+				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	13.96	12	86	Male	3.58	7	196
Female	11.42	17	149	Female	10.56	6	57
Total	25.38	29	114	Total	14.14	13	92
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	6.96	14	201 #+	Female	31.76	41	129
Female	3.09	2	NC*				
Total	10.06	16	159				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	89.36	131	147 ^+	Male	572.30	725	127 ^+
Female	75.34	126	167 ^+	Female	554.94	749	135 ^+
Total	164.70	257	156 ^+	Total	1127.24	1474	131 ^+

Note: Explanation of all symbols is on page 361

# Richmond

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.52	0	NC*	Male	1.07	1	NC*
Female	0.47	0	NC*	Female	0.74	0	NC*
Total	1.99	0	NC*	Total	1.81	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.46	0	NC*	Male	0.32	0	NC*
Female	0.35	0	NC*	Female	0.25	0	NC*
Total	0.81	0	NC*	Total	0.56	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.07	0	NC*	Male	1.20	1	NC*
Female	8.92	12	135	Female	0.96	0	NC*
Total	8.99	12	133	Total	2.15	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.44	0	NC*	Male	0.99	3	NC*
				Female	0.43	0	NC*
				Total	1.41	3	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	3.82	4	NC*	Female	1.01	0	NC*
Female	3.07	1	NC*				
Total	6.89	5	73				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.58	0	NC*	Male	0.69	0	NC*
Female	0.15	0	NC*	Female	0.60	0	NC*
Total	0.72	0	NC*	Total	1.29	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.17	0	NC*	Male	10.13	6	59
Female	0.14	1	NC*				
Total	0.32	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.94	0	NC*	Male	0.67	0	NC*
Female	0.51	0	NC*	Female	0.32	0	NC*
Total	1.45	0	NC*	Total	0.99	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.52	0	NC*	Male	0.23	0	NC*
Female	0.12	0	NC*				
Total	0.65	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.72	0	NC*	Male	0.19	0	NC*
Female	0.51	0	NC*	Female	0.52	0	NC*
Total	1.23	0	NC*	Total	0.71	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.40	0	NC*	Female	1.75	0	NC*
Female	0.13	1	NC*				
Total	0.54	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	4.93	2	NC*	Male	31.62	17	54 ~->
Female	3.70	1	NC*	Female	26.90	16	59 #->
Total	8.62	3	NC*	Total	58.52	33	56 ^->

Note: Explanation of all symbols is on page 361

# Rochester

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.82	4	NC*	Male	2.24	3	NC*
Female	0.86	2	NC*	Female	1.59	3	NC*
Total	3.68	6	163	Total	3.83	6	157
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.00	1	NC*	Male	0.61	0	NC*
Female	0.73	2	NC*	Female	0.46	0	NC*
Total	1.74	3	NC*	Total	1.07	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.14	0	NC*	Male	2.45	2	NC*
Female	18.21	14	77	Female	1.84	1	NC*
Total	18.35	14	76	Total	4.29	3	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.00	0	NC*	Male	2.09	0	NC*
				Female	0.84	1	NC*
				Total	2.93	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	7.16	2	NC*	Female	2.06	4	NC*
Female	5.63	8	142				
Total	12.80	10	78				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.13	0	NC*	Male	1.33	0	NC*
Female	0.27	0	NC*	Female	1.08	1	NC*
Total	1.40	0	NC*	Total	2.41	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.43	1	NC*	Male	19.32	15	78
Female	0.34	0	NC*				
Total	0.77	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.91	1	NC*	Male	1.28	0	NC*
Female	0.99	0	NC*	Female	0.60	1	NC*
Total	2.90	1	NC*	Total	1.88	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.05	1	NC*	Male	0.60	0	NC*
Female	0.24	0	NC*				
Total	1.29	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.49	2	NC*	Male	0.45	1	NC*
Female	1.04	0	NC*	Female	1.22	1	NC*
Total	2.52	2	NC*	Total	1.67	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.82	0	NC*	Female	3.50	2	NC*
Female	0.25	0	NC*				
Total	1.07	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	9.24	8	87	Male	61.53	43	70 #->
Female	6.84	5	73	Female	53.13	51	96
Total	16.08	13	81	Total	114.66	94	82

# Rockland

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	9.61	17	177 #+	Male	7.26	19	262 ^+
Female	3.88	3	NC*	Female	6.00	12	200 #+
Total	13.49	20	148	Total	13.26	31	234 ^+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.46	2	NC*	Male	2.01	2	NC*
Female	2.93	4	NC*	Female	1.93	2	NC*
Total	6.39	6	94	Total	3.94	4	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin'(s) Lymphoma</u></b>			
Male	0.49	0	NC*	Male	8.23	6	73
Female	66.48	71	107	Female	7.79	6	77
Total	66.98	71	106	Total	16.03	12	75
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.69	2	NC*	Male	6.37	8	126
				Female	3.27	3	NC*
				Total	9.64	11	114
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	24.41	27	111	Female	7.77	6	77
Female	25.22	25	99				
Total	49.62	52	105				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	3.68	5	136	Male	4.36	5	115
Female	1.20	0	NC*	Female	4.94	4	NC*
Total	4.87	5	103	Total	9.30	9	97
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.65	2	NC*	Male	65.07	66	101
Female	1.42	0	NC*				
Total	3.07	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	6.11	5	82	Male	4.19	6	143
Female	3.98	2	NC*	Female	2.74	0	NC*
Total	10.09	7	69	Total	6.93	6	87
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.34	7	210	Male	2.67	1	NC*
Female	0.90	2	NC*				
Total	4.24	9	212				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	5.10	3	NC*	Male	1.51	1	NC*
Female	4.28	5	117	Female	4.51	9	200
Total	9.37	8	85	Total	6.02	10	166
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.64	4	NC*	Female	12.58	11	87
Female	1.09	1	NC*				
Total	3.73	5	134				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	31.92	43	135	Male	207.59	242	117 #+
Female	28.21	48	170 ^+	Female	209.87	229	109
Total	60.13	91	151 ^+	Total	417.46	471	113 #+

Note: Explanation of all symbols is on page 361

# Rockport

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	7.25	4	NC*	Male	4.68	2	NC*
Female	3.05	3	NC*	Female	3.80	6	158
Total	10.31	7	68	Total	8.48	8	94
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.97	0	NC*	Male	1.44	0	NC*
Female	1.83	1	NC*	Female	1.45	1	NC*
Total	3.79	1	NC*	Total	2.89	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.33	3	NC*	Male	5.40	1	NC*
Female	44.60	44	99	Female	5.52	7	127
Total	44.94	47	105	Total	10.92	8	73
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.12	2	NC*	Male	4.18	4	NC*
				Female	2.31	2	NC*
				Total	6.48	6	93
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	17.93	12	67	Female	5.10	5	98
Female	20.14	13	65				
Total	38.08	25	66 #				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.53	1	NC*	Male	3.17	2	NC*
Female	0.95	0	NC*	Female	3.90	1	NC*
Total	3.47	1	NC*	Total	7.07	3	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.75	1	NC*	Male	44.02	30	68 #
Female	0.73	0	NC*				
Total	1.48	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.08	2	NC*	Male	3.16	1	NC*
Female	2.74	1	NC*	Female	2.23	5	224
Total	6.82	3	NC*	Total	5.39	6	111
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.21	1	NC*	Male	1.01	0	NC*
Female	0.60	1	NC*				
Total	2.81	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	3.31	5	151	Male	0.81	1	NC*
Female	3.01	5	166	Female	2.39	2	NC*
Total	6.32	10	158	Total	3.20	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.75	2	NC*	Female	8.50	11	129
Female	0.84	0	NC*				
Total	2.59	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	22.12	12	54 #	Male	141.51	92	65 ^
Female	19.95	13	65	Female	147.27	135	92
Total	42.07	25	59 ~	Total	288.77	227	79 ^

Note: Explanation of all symbols is on page 361



# Rowe

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.36	0	NC*	Male	0.24	0	NC*
Female	0.11	0	NC*	Female	0.16	1	NC*
Total	0.47	0	NC*	Total	0.40	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.10	0	NC*	Male	0.07	0	NC*
Female	0.07	0	NC*	Female	0.06	1	NC*
Total	0.17	0	NC*	Total	0.13	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.02	0	NC*	Male	0.27	0	NC*
Female	1.95	2	NC*	Female	0.21	0	NC*
Total	1.97	2	NC*	Total	0.49	0	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.09	0	NC*	Male	0.23	0	NC*
				Female	0.10	0	NC*
				Total	0.32	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	0.90	0	NC*	Female	0.22	0	NC*
Female	0.71	1	NC*				
Total	1.61	1	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.13	0	NC*	Male	0.16	0	NC*
Female	0.03	0	NC*	Female	0.14	1	NC*
Total	0.17	0	NC*	Total	0.30	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.04	0	NC*	Male	2.25	2	NC*
Female	0.03	0	NC*				
Total	0.06	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.21	0	NC*	Male	0.16	0	NC*
Female	0.12	0	NC*	Female	0.08	0	NC*
Total	0.32	0	NC*	Total	0.24	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.12	0	NC*	Male	0.04	0	NC*
Female	0.03	0	NC*				
Total	0.14	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.16	0	NC*	Male	0.04	0	NC*
Female	0.12	0	NC*	Female	0.10	0	NC*
Total	0.28	0	NC*	Total	0.14	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.09	0	NC*	Female	0.39	1	NC*
Female	0.03	0	NC*				
Total	0.12	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	1.09	1	NC*	Male	7.17	3	NC*
Female	0.84	0	NC*	Female	5.97	7	117 >
Total	1.93	1	NC*	Total	13.14	10	76 >

Note: Explanation of all symbols is on page 361

# Rowley

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.77	1	NC*	Male	2.22	4	NC*
Female	0.89	0	NC*	Female	1.67	2	NC*
Total	3.67	1	NC*	Total	3.89	6	154
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.04	0	NC*	Male	0.59	0	NC*
Female	0.79	0	NC*	Female	0.47	0	NC*
Total	1.83	0	NC*	Total	1.06	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.14	0	NC*	Male	2.47	4	NC*
Female	18.30	14	77	Female	1.92	3	NC*
Total	18.44	14	76	Total	4.39	7	159
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.08	1	NC*	Male	2.01	1	NC*
				Female	0.85	0	NC*
				Total	2.86	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	7.06	7	99	Female	2.12	4	NC*
Female	5.81	11	189				
Total	12.87	18	140				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.10	1	NC*	Male	1.29	0	NC*
Female	0.28	0	NC*	Female	1.12	1	NC*
Total	1.37	1	NC*	Total	2.41	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.49	0	NC*	Male	18.78	21	112
Female	0.41	0	NC*				
Total	0.90	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.86	0	NC*	Male	1.25	2	NC*
Female	1.02	0	NC*	Female	0.63	1	NC*
Total	2.87	0	NC*	Total	1.88	3	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.01	0	NC*	Male	0.75	3	NC*
Female	0.23	0	NC*				
Total	1.25	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.52	2	NC*	Male	0.47	0	NC*
Female	1.10	4	NC*	Female	1.35	1	NC*
Total	2.62	6	229	Total	1.82	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.80	1	NC*	Female	3.45	1	NC*
Female	0.26	0	NC*				
Total	1.06	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	9.10	12	132	Male	60.70	63	104 >
Female	6.90	5	72	Female	54.33	55	101
Total	16.00	17	106	Total	115.03	118	103

# Royalston

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.80	1	NC*	Male	0.58	0	NC*
Female	0.24	0	NC*	Female	0.38	1	NC*
Total	1.04	1	NC*	Total	0.96	1	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.25	0	NC*	Male	0.17	0	NC*
Female	0.19	0	NC*	Female	0.12	0	NC*
Total	0.44	0	NC*	Total	0.29	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.04	0	NC*	Male	0.65	0	NC*
Female	4.29	2	NC*	Female	0.49	1	NC*
Total	4.33	2	NC*	Total	1.15	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.23	0	NC*	Male	0.53	0	NC*
				Female	0.21	0	NC*
				Total	0.74	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	2.00	5	249	Female	0.49	0	NC*
Female	1.63	1	NC*				
Total	3.64	6	165				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.30	0	NC*	Male	0.36	1	NC*
Female	0.08	0	NC*	Female	0.31	0	NC*
Total	0.38	0	NC*	Total	0.67	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.11	0	NC*	Male	5.17	3	NC*
Female	0.09	0	NC*				
Total	0.19	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.50	1	NC*	Male	0.35	0	NC*
Female	0.25	1	NC*	Female	0.17	0	NC*
Total	0.75	2	NC*	Total	0.53	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.27	0	NC*	Male	0.15	0	NC*
Female	0.06	0	NC*				
Total	0.33	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.40	0	NC*	Male	0.11	0	NC*
Female	0.28	0	NC*	Female	0.28	0	NC*
Total	0.67	0	NC*	Total	0.39	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.21	0	NC*	Female	0.81	2	NC*
Female	0.07	0	NC*				
Total	0.28	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	2.54	0	NC*	Male	16.59	11	66 >
Female	1.77	1	NC*	Female	13.43	10	74 >
Total	4.32	1	NC*	Total	30.02	21	70 >

Note: Explanation of all symbols is on page 361

# Russell

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.07	0	NC*	Male	0.81	0	NC*
Female	0.33	0	NC*	Female	0.59	0	NC*
Total	1.40	0	NC*	Total	1.40	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.37	0	NC*	Male	0.22	0	NC*
Female	0.28	2	NC*	Female	0.17	0	NC*
Total	0.64	2	NC*	Total	0.39	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.05	0	NC*	Male	0.91	0	NC*
Female	6.48	5	77	Female	0.69	1	NC*
Total	6.53	5	77	Total	1.60	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.37	0	NC*	Male	0.72	0	NC*
				Female	0.31	0	NC*
				Total	1.03	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	2.70	5	185	Female	0.75	0	NC*
Female	2.14	0	NC*				
Total	4.84	5	103				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.41	0	NC*	Male	0.49	1	NC*
Female	0.10	0	NC*	Female	0.41	1	NC*
Total	0.51	0	NC*	Total	0.90	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.17	0	NC*	Male	7.09	10	141
Female	0.14	0	NC*				
Total	0.31	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.68	0	NC*	Male	0.47	0	NC*
Female	0.36	2	NC*	Female	0.24	0	NC*
Total	1.05	2	NC*	Total	0.71	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.37	1	NC*	Male	0.26	0	NC*
Female	0.08	0	NC*				
Total	0.46	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.55	0	NC*	Male	0.16	0	NC*
Female	0.40	0	NC*	Female	0.47	0	NC*
Total	0.95	0	NC*	Total	0.63	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.29	1	NC*	Female	1.22	1	NC*
Female	0.09	0	NC*				
Total	0.39	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	3.47	3	NC*	Male	22.76	23	101 >
Female	2.48	4	NC*	Female	19.45	19	98 >
Total	5.96	7	117	Total	42.21	42	100

# Rutland

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.96	2	NC*	Male	2.42	6	248
Female	1.05	2	NC*	Female	1.83	2	NC*
Total	4.01	4	NC*	Total	4.24	8	188
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.14	1	NC*	Male	0.63	1	NC*
Female	0.87	1	NC*	Female	0.54	0	NC*
Total	2.01	2	NC*	Total	1.17	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.15	0	NC*	Male	2.68	2	NC*
Female	20.10	22	109	Female	2.17	5	231
Total	20.25	22	109	Total	4.85	7	144
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.16	1	NC*	Male	2.18	0	NC*
				Female	0.95	1	NC*
				Total	3.13	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	7.54	6	80	Female	2.32	4	NC*
Female	6.91	7	101				
Total	14.45	13	90				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.18	1	NC*	Male	1.39	1	NC*
Female	0.33	0	NC*	Female	1.32	0	NC*
Total	1.51	1	NC*	Total	2.71	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.55	1	NC*	Male	20.12	16	80
Female	0.43	0	NC*				
Total	0.98	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.01	3	NC*	Male	1.34	1	NC*
Female	1.12	2	NC*	Female	0.76	1	NC*
Total	3.13	5	160	Total	2.10	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.09	1	NC*	Male	0.86	1	NC*
Female	0.25	0	NC*				
Total	1.35	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.65	3	NC*	Male	0.52	0	NC*
Female	1.26	1	NC*	Female	1.43	3	NC*
Total	2.92	4	NC*	Total	1.95	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.87	0	NC*	Female	3.77	5	133
Female	0.30	0	NC*				
Total	1.17	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	9.73	4	NC*	Male	65.29	50	77 >
Female	7.63	7	92	Female	60.82	66	109 >
Total	17.36	11	63	Total	126.12	116	92 >

Note: Explanation of all symbols is on page 361

# Salem

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	22.80	31	136	Male	16.66	16	96
Female	10.30	6	58	Female	15.18	17	112
Total	33.10	37	112	Total	31.84	33	104
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	7.64	6	79	Male	4.63	4	NC*
Female	7.27	4	NC*	Female	4.98	7	141
Total	14.91	10	67	Total	9.60	11	115
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	1.12	2	NC*	Male	19.13	19	99
Female	164.09	177	108	Female	20.04	21	105
Total	165.21	179	108	Total	39.17	40	102
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	9.34	6	64	Male	14.21	23	162 #+
				Female	8.23	13	158
				Total	22.44	36	160 #+
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	57.26	60	105	Female	19.25	29	151 #+
Female	67.96	69	102				
Total	125.22	129	103				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	8.24	13	158	Male	10.14	14	138
Female	3.18	5	157	Female	13.14	14	107
Total	11.43	18	157	Total	23.28	28	120
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	3.82	5	131	Male	143.07	185	129 ^+
Female	3.62	5	138				
Total	7.44	10	134				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	13.77	21	153	Male	10.00	8	80
Female	9.87	9	91	Female	7.47	6	80
Total	23.64	30	127	Total	17.47	14	80
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	7.34	6	82	Male	6.50	7	108
Female	2.13	3	NC*				
Total	9.47	9	95				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	11.63	15	129	Male	3.45	6	174
Female	10.91	10	92	Female	11.41	4	NC*
Total	22.54	25	111	Total	14.86	10	67
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	5.89	4	NC*	Female	30.42	36	118
Female	2.88	1	NC*				
Total	8.78	5	57				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	72.00	103	143 ^+	Male	471.25	575	122 ^+
Female	70.06	108	154 ^+	Female	531.73	593	112 ~+
Total	142.06	211	149 ^+	Total	1002.98	1168	116 ^+

Note: Explanation of all symbols is on page 361

# Salisbury

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.12	2	NC*	Male	3.20	3	NC*
Female	1.48	1	NC*	Female	2.47	6	243
Total	5.60	3	NC*	Total	5.66	9	159
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.48	2	NC*	Male	0.88	1	NC*
Female	1.18	0	NC*	Female	0.76	1	NC*
Total	2.67	2	NC*	Total	1.64	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.21	0	NC*	Male	3.57	1	NC*
Female	27.78	32	115	Female	3.06	2	NC*
Total	27.99	32	114	Total	6.63	3	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.53	3	NC*	Male	2.87	2	NC*
				Female	1.33	1	NC*
				Total	4.20	3	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	10.48	23	220 ~+	Female	3.21	5	156
Female	9.62	13	135				
Total	20.10	36	179 ~+				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.62	5	309	Male	1.90	2	NC*
Female	0.46	0	NC*	Female	1.88	3	NC*
Total	2.07	5	241	Total	3.78	5	132
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.68	2	NC*	Male	28.28	30	106
Female	0.57	0	NC*				
Total	1.25	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.70	3	NC*	Male	1.82	1	NC*
Female	1.61	6	373 #+	Female	1.04	3	NC*
Total	4.31	9	209	Total	2.86	4	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.49	4	NC*	Male	1.06	2	NC*
Female	0.37	0	NC*				
Total	1.86	4	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.18	1	NC*	Male	0.66	1	NC*
Female	1.70	3	NC*	Female	1.87	2	NC*
Total	3.88	4	NC*	Total	2.53	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.17	1	NC*	Female	5.30	8	151
Female	0.42	0	NC*				
Total	1.59	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	13.74	20	146	Male	89.88	115	128 #+
Female	11.27	18	160	Female	84.78	111	131 ~+>
Total	25.01	38	152 #+	Total	174.66	226	129 ^+

Note: Explanation of all symbols is on page 361

# Sandisfield

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.79	1	NC*	Male	0.52	0	NC*
Female	0.21	0	NC*	Female	0.28	0	NC*
Total	0.99	1	NC*	Total	0.80	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.23	0	NC*	Male	0.16	0	NC*
Female	0.14	0	NC*	Female	0.10	1	NC*
Total	0.36	0	NC*	Total	0.26	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.04	0	NC*	Male	0.59	2	NC*
Female	3.32	5	151	Female	0.40	0	NC*
Total	3.36	5	149	Total	0.99	2	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.16	0	NC*	Male	0.48	0	NC*
				Female	0.17	1	NC*
				Total	0.65	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	1.99	1	NC*	Female	0.38	1	NC*
Female	1.33	0	NC*				
Total	3.32	1	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.30	1	NC*	Male	0.35	0	NC*
Female	0.06	0	NC*	Female	0.27	0	NC*
Total	0.36	1	NC*	Total	0.62	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.08	0	NC*	Male	5.45	2	NC*
Female	0.06	0	NC*				
Total	0.14	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.46	0	NC*	Male	0.34	0	NC*
Female	0.21	0	NC*	Female	0.14	0	NC*
Total	0.67	0	NC*	Total	0.48	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.27	1	NC*	Male	0.11	0	NC*
Female	0.05	0	NC*				
Total	0.31	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.36	0	NC*	Male	0.09	0	NC*
Female	0.21	0	NC*	Female	0.18	0	NC*
Total	0.57	0	NC*	Total	0.27	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.20	0	NC*	Female	0.65	1	NC*
Female	0.06	0	NC*				
Total	0.26	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	2.63	1	NC*	Male	16.43	9	55 >
Female	1.52	1	NC*	Female	10.64	11	103 >
Total	4.15	2	NC*	Total	27.08	20	74 >



# Sandwich

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	14.64	15	102	Male	10.02	19	190 #+
Female	5.01	8	160	Female	7.23	15	207 #+
Total	19.65	23	117	Total	17.26	34	197 ^+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	4.48	4	NC*	Male	2.98	3	NC*
Female	3.57	6	168	Female	2.51	1	NC*
Total	8.05	10	124	Total	5.49	4	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.71	0	NC*	Male	11.46	9	79
Female	84.46	86	102	Female	9.82	6	61
Total	85.18	86	101	Total	21.28	15	70
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	4.25	3	NC*	Male	8.95	8	89
				Female	4.18	7	167
				Total	13.14	15	114
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	36.55	37	101	Female	9.68	9	93
Female	32.85	36	110				
Total	69.40	73	105				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	5.32	5	94	Male	6.50	3	NC*
Female	1.55	3	NC*	Female	6.40	6	94
Total	6.88	8	116	Total	12.90	9	70
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.81	0	NC*	Male	93.52	110	118
Female	1.52	1	NC*				
Total	3.33	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	8.73	6	69	Male	6.35	6	95
Female	5.05	5	99	Female	3.52	3	NC*
Total	13.77	11	80	Total	9.87	9	91
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	4.75	3	NC*	Male	2.53	1	NC*
Female	1.16	1	NC*				
Total	5.91	4	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	7.15	11	154	Male	1.83	1	NC*
Female	5.36	7	130	Female	5.00	8	160
Total	12.52	18	144	Total	6.83	9	132
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.75	1	NC*	Female	16.28	10	61
Female	1.41	0	NC*				
Total	5.16	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	46.48	31	67 #	Male	298.02	295	99
Female	36.38	36	99	Female	266.49	278	104
Total	82.86	67	81	Total	564.51	573	102

Note: Explanation of all symbols is on page 361

# Saugus

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	19.30	28	145	Male	13.27	13	98
Female	7.46	8	107	Female	10.40	9	87
Total	26.76	36	135	Total	23.67	22	93
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	5.87	9	153	Male	3.93	1	NC*
Female	5.02	3	NC*	Female	3.68	4	NC*
Total	10.89	12	110	Total	7.61	5	66
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.95	1	NC*	Male	15.16	21	138
Female	120.61	109	90	Female	14.35	12	84
Total	121.56	110	90	Total	29.51	33	112
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	6.09	7	115	Male	11.73	12	102
				Female	6.04	8	132
				Total	17.77	20	113
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	48.36	51	105	Female	13.89	9	65
Female	48.72	52	107				
Total	97.08	103	106				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	7.05	8	113	Male	8.55	11	129
Female	2.31	1	NC*	Female	9.54	6	63
Total	9.36	9	96	Total	18.09	17	94
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.48	0	NC*	Male	125.31	143	114
Female	2.17	3	NC*				
Total	4.65	3	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	11.48	14	122	Male	8.30	10	120
Female	7.32	8	109	Female	5.27	5	95
Total	18.79	22	117	Total	13.58	15	110
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	6.29	5	80	Male	3.73	7	188
Female	1.67	2	NC*				
Total	7.96	7	88				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	9.28	14	151	Male	2.48	5	201
Female	7.65	10	131	Female	7.13	9	126
Total	16.93	24	142	Total	9.61	14	146
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	4.94	9	182	Female	23.15	23	99
Female	2.08	3	NC*				
Total	7.02	12	171				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	62.18	65	105	Male	396.31	457	115 ~+
Female	53.09	59	111	Female	385.86	372	96
Total	115.27	124	108	Total	782.18	829	106

# Savoy

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	0.45	1	NC*	Male	0.34	0	NC*
Female	0.13	0	NC*	Female	0.22	0	NC*
Total	0.59	1	NC*	Total	0.56	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.15	0	NC*	Male	0.09	0	NC*
Female	0.11	0	NC*	Female	0.07	1	NC*
Total	0.26	0	NC*	Total	0.16	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.02	0	NC*	Male	0.38	0	NC*
Female	2.56	3	NC*	Female	0.28	0	NC*
Total	2.58	3	NC*	Total	0.66	0	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.14	0	NC*	Male	0.30	0	NC*
				Female	0.12	0	NC*
				Total	0.42	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	1.14	2	NC*	Female	0.29	0	NC*
Female	0.87	0	NC*				
Total	2.01	2	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.17	0	NC*	Male	0.21	0	NC*
Female	0.04	0	NC*	Female	0.17	0	NC*
Total	0.21	0	NC*	Total	0.38	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.07	0	NC*	Male	3.00	1	NC*
Female	0.05	0	NC*				
Total	0.11	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.29	0	NC*	Male	0.20	0	NC*
Female	0.15	0	NC*	Female	0.09	0	NC*
Total	0.43	0	NC*	Total	0.29	0	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.16	0	NC*	Male	0.10	0	NC*
Female	0.03	0	NC*				
Total	0.19	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.23	0	NC*	Male	0.07	0	NC*
Female	0.15	1	NC*	Female	0.16	0	NC*
Total	0.38	1	NC*	Total	0.23	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.12	2	NC*	Female	0.49	2	NC*
Female	0.04	0	NC*				
Total	0.16	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	1.47	0	NC*	Male	9.58	6	63 >
Female	1.05	1	NC*	Female	7.74	8	103 >
Total	2.52	1	NC*	Total	17.32	14	81 >

# Scituate

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	11.97	10	84	Male	8.47	14	165
Female	4.42	6	136	Female	6.48	6	93
Total	16.39	16	98	Total	14.95	20	134
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.79	3	NC*	Male	2.48	0	NC*
Female	3.14	4	NC*	Female	2.22	1	NC*
Total	6.94	7	101	Total	4.69	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.60	1	NC*	Male	9.57	11	115
Female	75.60	86	114	Female	8.67	10	115
Total	76.20	87	114	Total	18.24	21	115
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.83	2	NC*	Male	7.67	11	143
<b><u>Colon / Rectum</u></b>				Female	3.72	11	295 ~+
Male	30.17	23	76	Total	11.39	22	193 ~+
Female	28.74	23	80	<b><u>Ovary</u></b>			
Total	58.91	46	78	Female	8.67	6	69
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.53	1	NC*	Male	5.39	4	NC*
Female	1.37	0	NC*	Female	5.63	8	142
Total	5.89	1	NC*	Total	11.02	12	109
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.56	0	NC*	Male	80.46	80	99
Female	1.36	0	NC*	<b><u>Stomach</u></b>			
Total	2.91	0	NC*	Male	5.20	1	NC*
<b><u>Kidney &amp; Renal Pelvis</u></b>				Female	3.10	1	NC*
Male	7.36	7	95	Total	8.30	2	NC*
Female	4.50	2	NC*	<b><u>Testis</u></b>			
Total	11.86	9	76	Male	2.23	1	NC*
<b><u>Larynx</u></b>				<b><u>Thyroid</u></b>			
Male	4.08	4	NC*	Male	1.60	1	NC*
Female	1.04	3	NC*	Female	4.51	3	NC*
Total	5.13	7	137	Total	6.11	4	NC*
<b><u>Leukemia</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	5.88	7	119	Female	14.59	14	96
Female	4.72	9	191	<b><u>All Sites / Types</u></b>			
Total	10.60	16	151	Male	251.42	237	94
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				Female	236.81	247	104
Male	3.18	3	NC*	Total	488.23	484	99
Female	1.24	1	NC*				
Total	4.42	4	NC*				
<b><u>Lung and Bronchus</u></b>							
Male	39.24	38	97				
Female	32.34	38	118				
Total	71.58	76	106				

# Seekonk

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	10.10	10	99	Male	7.28	6	82
Female	3.47	1	NC*	Female	5.33	4	NC*
Total	13.56	11	81	Total	12.61	10	79
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.24	5	154	Male	2.10	1	NC*
Female	2.54	3	NC*	Female	1.77	2	NC*
Total	5.78	8	138	Total	3.86	3	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.51	1	NC*	Male	8.18	3	NC*
Female	62.13	65	105	Female	6.92	5	72
Total	62.64	66	105	Total	15.10	8	53
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.20	1	NC*	Male	6.61	7	106
				Female	3.01	0	NC*
				Total	9.62	7	73
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	25.50	23	90	Female	7.10	9	127
Female	22.55	25	111				
Total	48.06	48	100				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	3.86	2	NC*	Male	4.58	2	NC*
Female	1.07	1	NC*	Female	4.40	1	NC*
Total	4.93	3	NC*	Total	8.98	3	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.36	0	NC*	Male	68.23	51	75 #-
Female	1.11	1	NC*				
Total	2.47	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	6.28	5	80	Male	4.42	11	249 #+
Female	3.63	0	NC*	Female	2.42	0	NC*
Total	9.91	5	50	Total	6.84	11	161
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.49	2	NC*	Male	1.97	3	NC*
Female	0.85	0	NC*				
Total	4.34	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	4.97	4	NC*	Male	1.40	1	NC*
Female	3.76	5	133	Female	3.79	4	NC*
Total	8.73	9	103	Total	5.19	5	96
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.72	1	NC*	Female	11.99	7	58
Female	0.98	1	NC*				
Total	3.69	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	33.14	17	51 ~-	Male	213.50	164	77 ^-
Female	25.91	15	58 #-	Female	191.37	160	84 #-
Total	59.05	32	54 ^-	Total	404.86	324	80 ^-

Note: Explanation of all symbols is on page 361

# Sharon

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	11.51	11	96	Male	8.60	10	116
Female	3.86	3	NC*	Female	6.16	12	195 #+
Total	15.37	14	91	Total	14.76	22	149
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.88	3	NC*	Male	2.44	4	NC*
Female	2.95	5	169	Female	2.01	2	NC*
Total	6.83	8	117	Total	4.45	6	135
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.59	0	NC*	Male	9.53	15	157
Female	73.01	85	116	Female	7.81	13	166
Total	73.60	85	115	Total	17.34	28	161 #+
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.69	3	NC*	Male	7.99	5	63
				Female	3.49	1	NC*
				Total	11.48	6	52
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	29.20	28	96	Female	8.28	10	121
Female	24.99	21	84				
Total	54.19	49	90				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.55	2	NC*	Male	5.32	8	150
Female	1.20	3	NC*	Female	4.88	2	NC*
Total	5.74	5	87	Total	10.20	10	98
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.57	1	NC*	Male	80.01	62	77 #-
Female	1.25	1	NC*				
Total	2.82	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	7.47	5	67	Male	5.09	5	98
Female	4.19	3	NC*	Female	2.69	7	260 #+
Total	11.66	8	69	Total	7.78	12	154
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	4.18	2	NC*	Male	2.12	2	NC*
Female	1.00	0	NC*				
Total	5.18	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	5.86	5	85	Male	1.65	6	363 #+
Female	4.36	2	NC*	Female	4.37	14	321 ^+
Total	10.22	7	68	Total	6.02	20	332 ^+
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.24	2	NC*	Female	14.21	10	70
Female	1.09	1	NC*				
Total	4.33	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	38.35	30	78	Male	248.75	213	86 #-
Female	29.60	19	64	Female	220.25	227	103
Total	67.95	49	72 #-	Total	469.00	440	94

# Sheffield

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.45	0	NC*	Male	1.70	0	NC*
Female	0.82	0	NC*	Female	1.22	0	NC*
Total	3.27	0	NC*	Total	2.92	0	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.76	3	NC*	Male	0.50	1	NC*
Female	0.59	0	NC*	Female	0.41	0	NC*
Total	1.35	3	NC*	Total	0.91	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.12	0	NC*	Male	1.94	2	NC*
Female	14.08	6	43 #-	Female	1.62	0	NC*
Total	14.20	6	42 #-	Total	3.56	2	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.73	0	NC*	Male	1.54	4	NC*
				Female	0.69	0	NC*
				Total	2.23	4	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	6.15	9	146	Female	1.62	1	NC*
Female	5.37	7	130				
Total	11.52	16	139				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.91	0	NC*	Male	1.10	2	NC*
Female	0.25	0	NC*	Female	1.05	2	NC*
Total	1.16	0	NC*	Total	2.15	4	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.31	1	NC*	Male	16.01	21	131
Female	0.26	0	NC*				
Total	0.58	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.47	2	NC*	Male	1.07	0	NC*
Female	0.84	0	NC*	Female	0.58	1	NC*
Total	2.31	2	NC*	Total	1.65	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.81	3	NC*	Male	0.45	1	NC*
Female	0.19	0	NC*				
Total	1.00	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.19	2	NC*	Male	0.32	1	NC*
Female	0.88	0	NC*	Female	0.86	1	NC*
Total	2.07	2	NC*	Total	1.18	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.63	0	NC*	Female	2.70	2	NC*
Female	0.23	0	NC*				
Total	0.87	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	7.85	8	102	Male	50.55	62	123 >
Female	6.00	4	NC*	Female	44.18	28	63 #->
Total	13.85	12	87	Total	94.74	90	95

# Shellburne

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.43	3	NC*	Male	1.07	3	NC*
Female	0.71	3	NC*	Female	0.94	2	NC*
Total	2.14	6	280 #+	Total	2.01	5	249
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.48	0	NC*	Male	0.30	0	NC*
Female	0.45	0	NC*	Female	0.34	1	NC*
Total	0.93	0	NC*	Total	0.64	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.07	0	NC*	Male	1.19	1	NC*
Female	10.86	8	74	Female	1.31	1	NC*
Total	10.93	8	73	Total	2.50	2	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.54	0	NC*	Male	0.98	1	NC*
				Female	0.55	1	NC*
				Total	1.53	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	3.63	2	NC*	Female	1.24	0	NC*
Female	4.69	7	149				
Total	8.32	9	108				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.56	0	NC*	Male	0.66	1	NC*
Female	0.22	0	NC*	Female	0.91	0	NC*
Total	0.78	0	NC*	Total	1.56	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.21	0	NC*	Male	9.87	8	81
Female	0.19	0	NC*				
Total	0.39	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.92	0	NC*	Male	0.63	0	NC*
Female	0.66	1	NC*	Female	0.53	1	NC*
Total	1.58	1	NC*	Total	1.15	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.51	1	NC*	Male	0.30	0	NC*
Female	0.14	0	NC*				
Total	0.66	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.72	1	NC*	Male	0.21	0	NC*
Female	0.73	0	NC*	Female	0.62	0	NC*
Total	1.46	1	NC*	Total	0.83	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.40	0	NC*	Female	2.06	3	NC*
Female	0.20	0	NC*				
Total	0.60	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	4.77	3	NC*	Male	30.88	26	84 >
Female	4.69	7	149	Female	35.30	39	110 >
Total	9.46	10	106	Total	66.18	65	98



# Sherborn

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.96	2	NC*	Male	2.26	4	NC*
Female	0.92	1	NC*	Female	1.60	4	NC*
Total	3.88	3	NC*	Total	3.86	8	207
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.00	1	NC*	Male	0.64	2	NC*
Female	0.75	2	NC*	Female	0.50	0	NC*
Total	1.75	3	NC*	Total	1.13	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.15	0	NC*	Male	2.47	1	NC*
Female	19.13	19	99	Female	1.93	0	NC*
Total	19.29	19	99	Total	4.41	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.98	0	NC*	Male	2.11	1	NC*
				Female	0.89	0	NC*
				Total	3.00	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	7.52	9	120	Female	2.15	2	NC*
Female	5.96	3	NC*				
Total	13.49	12	89				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.19	1	NC*	Male	1.38	2	NC*
Female	0.29	0	NC*	Female	1.16	1	NC*
Total	1.48	1	NC*	Total	2.54	3	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.40	0	NC*	Male	20.95	21	100
Female	0.32	0	NC*				
Total	0.72	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.96	2	NC*	Male	1.31	2	NC*
Female	1.06	0	NC*	Female	0.64	1	NC*
Total	3.03	2	NC*	Total	1.94	3	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.11	1	NC*	Male	0.54	1	NC*
Female	0.26	0	NC*				
Total	1.36	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.50	4	NC*	Male	0.43	2	NC*
Female	1.07	1	NC*	Female	1.16	2	NC*
Total	2.57	5	194	Total	1.60	4	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.85	0	NC*	Female	3.74	3	NC*
Female	0.26	1	NC*				
Total	1.12	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	10.00	2	NC*	Male	64.73	60	93 >
Female	7.44	8	108	Female	55.91	49	88 >
Total	17.44	10	57	Total	120.64	109	90 >

# Shirley

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	3.74	8	214	Male	3.32	3	NC*
Female	1.17	1	NC*	Female	2.28	1	NC*
Total	4.91	9	183	Total	5.60	4	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.57	1	NC*	Male	0.82	0	NC*
Female	1.08	2	NC*	Female	0.62	1	NC*
Total	2.65	3	NC*	Total	1.44	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.21	0	NC*	Male	3.64	1	NC*
Female	24.26	21	87	Female	2.60	8	308 #+
Total	24.46	21	86	Total	6.23	9	144
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.51	0	NC*	Male	2.93	1	NC*
				Female	1.13	1	NC*
				Total	4.05	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	9.70	13	134	Female	2.85	4	NC*
Female	7.54	7	93				
Total	17.24	20	116				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.56	2	NC*	Male	1.79	1	NC*
Female	0.36	0	NC*	Female	1.48	0	NC*
Total	1.92	2	NC*	Total	3.26	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.85	0	NC*	Male	26.80	26	97
Female	0.59	1	NC*				
Total	1.44	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.68	3	NC*	Male	1.70	3	NC*
Female	1.37	1	NC*	Female	0.82	1	NC*
Total	4.04	4	NC*	Total	2.51	4	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.47	2	NC*	Male	1.48	1	NC*
Female	0.32	1	NC*				
Total	1.78	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.15	1	NC*	Male	0.77	2	NC*
Female	1.45	1	NC*	Female	1.92	2	NC*
Total	3.59	2	NC*	Total	2.69	4	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.16	2	NC*	Female	4.55	9	198
Female	0.34	0	NC*				
Total	1.49	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	12.88	13	101	Male	86.80	86	99 >
Female	9.33	14	150	Female	72.31	85	118
Total	22.21	27	122	Total	159.12	171	107

Note: Explanation of all symbols is on page 361

# Shrewsbury

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	18.15	17	94	Male	13.57	16	118
Female	6.68	8	120	Female	10.38	12	116
Total	24.83	25	101	Total	23.95	28	117
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	6.22	7	112	Male	3.81	2	NC*
Female	5.03	5	99	Female	3.38	6	177
Total	11.26	12	107	Total	7.20	8	111
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.93	1	NC*	Male	15.25	21	138
Female	118.16	117	99	Female	13.50	11	81
Total	119.09	118	99	Total	28.75	32	111
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	6.33	2	NC*	Male	12.09	9	74
				Female	5.76	3	NC*
				Total	17.84	12	67
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	46.00	37	80	Female	13.64	12	88
Female	43.56	47	108				
Total	89.56	84	94				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	6.97	2	NC*	Male	8.26	10	121
Female	2.07	2	NC*	Female	8.52	12	141
Total	9.04	4	NC*	Total	16.77	22	131
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.81	3	NC*	Male	123.13	118	96
Female	2.32	6	259				
Total	5.13	9	175				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	11.56	19	164	Male	7.92	8	101
Female	6.99	10	143	Female	4.66	3	NC*
Total	18.55	29	156 #+	Total	12.58	11	87
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	6.36	4	NC*	Male	4.36	5	115
Female	1.61	1	NC*				
Total	7.97	5	63				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	9.33	10	107	Male	2.72	4	NC*
Female	7.31	4	NC*	Female	7.62	10	131
Total	16.64	14	84	Total	10.35	14	135
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	4.99	3	NC*	Female	22.62	24	106
Female	1.89	1	NC*				
Total	6.88	4	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	60.22	48	80	Male	389.68	360	92
Female	49.84	46	92	Female	367.79	373	101
Total	110.06	94	85	Total	757.47	733	97

Note: Explanation of all symbols is on page 361

# Shutesbury

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.02	0	NC*	Male	0.88	2	NC*
Female	0.32	0	NC*	Female	0.67	0	NC*
Total	1.34	0	NC*	Total	1.55	2	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.41	0	NC*	Male	0.23	0	NC*
Female	0.30	1	NC*	Female	0.17	0	NC*
Total	0.71	1	NC*	Total	0.40	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.06	0	NC*	Male	0.95	1	NC*
Female	7.37	8	108	Female	0.72	0	NC*
Total	7.43	8	108	Total	1.67	1	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.45	0	NC*	Male	0.82	0	NC*
				Female	0.33	0	NC*
				Total	1.15	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	2.64	3	NC*	Female	0.85	0	NC*
Female	2.06	1	NC*				
Total	4.69	4	NC*				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.43	0	NC*	Male	0.49	0	NC*
Female	0.10	0	NC*	Female	0.40	0	NC*
Total	0.53	0	NC*	Total	0.89	0	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.19	0	NC*	Male	7.42	7	94
Female	0.16	0	NC*				
Total	0.34	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.74	0	NC*	Male	0.47	2	NC*
Female	0.39	0	NC*	Female	0.22	0	NC*
Total	1.13	0	NC*	Total	0.69	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.41	0	NC*	Male	0.27	0	NC*
Female	0.09	0	NC*				
Total	0.50	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.57	0	NC*	Male	0.19	0	NC*
Female	0.41	0	NC*	Female	0.56	0	NC*
Total	0.98	0	NC*	Total	0.75	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.32	0	NC*	Female	1.39	1	NC*
Female	0.09	0	NC*				
Total	0.41	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	3.51	2	NC*	Male	23.50	17	72 >
Female	2.62	1	NC*	Female	21.03	13	62 >
Total	6.13	3	NC*	Total	44.52	30	67 #->

Note: Explanation of all symbols is on page 361

# Somerset

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	15.33	17	111	Male	10.24	5	49
Female	5.94	4	NC*	Female	7.79	7	90
Total	21.27	21	99	Total	18.03	12	67
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	4.43	7	158	Male	3.11	2	NC*
Female	3.77	5	132	Female	2.91	3	NC*
Total	8.20	12	146	Total	6.02	5	83
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.75	0	NC*	Male	11.71	16	137
Female	93.06	95	102	Female	11.19	17	152
Total	93.80	95	101	Total	22.90	33	144
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	4.41	4	NC*	Male	9.14	4	NC*
				Female	4.71	3	NC*
				Total	13.85	7	51
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	38.32	27	70	Female	10.63	9	85
Female	38.87	33	85				
Total	77.19	60	78				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	5.56	8	144	Male	6.77	14	207 #+
Female	1.84	2	NC*	Female	7.62	7	92
Total	7.40	10	135	Total	14.38	21	146
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.75	2	NC*	Male	99.26	128	129 ~+
Female	1.50	3	NC*				
Total	3.24	5	154				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	8.96	9	100	Male	6.58	10	152
Female	5.71	8	140	Female	4.19	3	NC*
Total	14.67	17	116	Total	10.76	13	121
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	4.94	4	NC*	Male	2.49	3	NC*
Female	1.31	0	NC*				
Total	6.25	4	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	7.14	9	126	Male	1.84	0	NC*
Female	5.89	6	102	Female	5.00	6	120
Total	13.04	15	115	Total	6.84	6	88
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.86	1	NC*	Female	18.04	18	100
Female	1.65	0	NC*				
Total	5.51	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	49.17	53	108	Male	311.33	340	109
Female	42.02	28	67 #	Female	300.24	280	93
Total	91.18	81	89	Total	611.57	620	101

Note: Explanation of all symbols is on page 361

# Somerville

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	37.61	34	90	Male	29.66	15	51 ~-
Female	17.43	17	98	Female	27.78	16	58 #-
Total	55.04	51	93	Total	57.44	31	54 ^-
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	13.90	12	86	Male	7.69	8	104
Female	12.97	12	92	Female	8.42	6	71
Total	26.87	24	89	Total	16.11	14	87
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	1.90	0	NC*	Male	34.00	22	65 #-
Female	286.01	240	84 ~-	Female	34.86	29	83
Total	287.91	240	83 ~-	Total	68.86	51	74 #-
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	17.85	16	90	Male	24.38	34	139
				Female	14.17	15	106
				Total	38.54	49	127
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	95.13	120	126 #+	Female	34.07	23	68
Female	114.70	141	123 #+				
Total	209.83	261	124 ^+				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	13.69	20	146	Male	16.86	14	83
Female	5.37	4	NC*	Female	22.18	17	77
Total	19.06	24	126	Total	39.03	31	79
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	8.00	9	113	Male	233.82	212	91
Female	7.18	6	84				
Total	15.17	15	99				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	23.47	23	98	Male	16.69	16	96
Female	17.01	15	88	Female	12.70	21	165 #+
Total	40.49	38	94	Total	29.39	37	126
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	12.26	10	82	Male	14.90	20	134
Female	3.62	4	NC*				
Total	15.88	14	88				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	20.21	15	74	Male	6.76	5	74
Female	18.80	26	138	Female	22.47	24	107
Total	39.01	41	105	Total	29.23	29	99
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	10.01	10	100	Female	51.95	37	71 #-
Female	4.89	8	164				
Total	14.90	18	121				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	119.08	145	122 #+	Male	795.50	799	100
Female	118.92	125	105	Female	921.73	870	94
Total	237.99	270	113 #+	Total	1717.23	1669	97

Note: Explanation of all symbols is on page 361

# South Hadley

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	12.28	19	155	Male	8.32	15	180 #+
Female	5.08	7	138	Female	7.27	10	138
Total	17.36	26	150	Total	15.59	25	160 #+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.67	6	164	Male	2.49	5	201
Female	3.59	2	NC*	Female	2.47	0	NC*
Total	7.26	8	110	Total	4.96	5	101
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.60	1	NC*	Male	9.55	12	126
Female	80.58	86	107	Female	9.88	12	121
Total	81.18	87	107	Total	19.43	24	124
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	4.38	5	114	Male	7.32	8	109
				Female	4.06	3	NC*
				Total	11.38	11	97
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	30.70	20	65	Female	9.42	12	127
Female	33.35	29	87				
Total	64.04	49	77				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.43	7	158	Male	5.41	10	185
Female	1.57	1	NC*	Female	6.49	7	108
Total	6.00	8	133	Total	11.90	17	143
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.54	1	NC*	Male	78.73	53	67 ~-
Female	1.70	2	NC*				
Total	3.24	3	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	7.20	9	125	Male	5.27	4	NC*
Female	4.92	1	NC*	Female	3.63	4	NC*
Total	12.12	10	83	Total	8.90	8	90
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.93	3	NC*	Male	2.31	6	259
Female	1.08	0	NC*				
Total	5.02	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	5.85	3	NC*	Male	1.54	3	NC*
Female	5.39	4	NC*	Female	5.28	4	NC*
Total	11.24	7	62	Total	6.82	7	103
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.10	0	NC*	Female	15.16	11	73
Female	1.42	0	NC*				
Total	4.52	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	39.25	31	79	Male	249.75	231	92
Female	35.30	33	93	Female	261.52	250	96
Total	74.55	64	86	Total	511.27	481	94

Note: Explanation of all symbols is on page 361

# Southampton

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	3.26	2	NC*	Male	2.49	2	NC*
Female	1.13	0	NC*	Female	1.85	2	NC*
Total	4.39	2	NC*	Total	4.35	4	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.13	3	NC*	Male	0.70	0	NC*
Female	0.89	0	NC*	Female	0.59	0	NC*
Total	2.02	3	NC*	Total	1.28	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.17	0	NC*	Male	2.76	1	NC*
Female	21.50	15	70	Female	2.33	1	NC*
Total	21.66	15	69	Total	5.09	2	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.14	2	NC*	Male	2.28	0	NC*
				Female	1.02	1	NC*
				Total	3.30	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	8.28	9	109	Female	2.46	3	NC*
Female	7.33	7	96				
Total	15.60	16	103				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.28	1	NC*	Male	1.51	0	NC*
Female	0.35	0	NC*	Female	1.43	1	NC*
Total	1.63	1	NC*	Total	2.93	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.48	2	NC*	Male	22.43	19	85
Female	0.40	0	NC*				
Total	0.88	2	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.14	0	NC*	Male	1.44	1	NC*
Female	1.24	2	NC*	Female	0.78	1	NC*
Total	3.37	2	NC*	Total	2.22	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.18	0	NC*	Male	0.70	2	NC*
Female	0.29	1	NC*				
Total	1.47	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.69	2	NC*	Male	0.49	0	NC*
Female	1.28	0	NC*	Female	1.37	3	NC*
Total	2.96	2	NC*	Total	1.86	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.92	0	NC*	Female	4.15	3	NC*
Female	0.32	0	NC*				
Total	1.24	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	10.85	8	74	Male	70.66	57	81
Female	8.74	10	114	Female	65.00	57	88
Total	19.59	18	92	Total	135.66	114	84



# Southborough

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.26	2	NC*	Male	3.51	5	143
Female	1.50	0	NC*	Female	2.68	3	NC*
Total	5.76	2	NC*	Total	6.19	8	129
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.64	3	NC*	Male	0.93	0	NC*
Female	1.27	0	NC*	Female	0.80	1	NC*
Total	2.91	3	NC*	Total	1.73	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.23	0	NC*	Male	3.84	4	NC*
Female	30.75	42	137	Female	3.20	6	188
Total	30.98	42	136	Total	7.04	10	142
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.68	1	NC*	Male	3.22	2	NC*
<b><u>Colon / Rectum</u></b>				Female	1.43	0	NC*
Male	10.93	2	NC*	Total	4.65	2	NC*
Female	9.79	8	82	<b><u>Ovary</u></b>			
Total	20.72	10	48 #	Female	3.50	2	NC*
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.75	2	NC*	Male	2.02	3	NC*
Female	0.47	1	NC*	Female	1.90	0	NC*
Total	2.22	3	NC*	Total	3.91	3	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.76	3	NC*	Male	30.44	23	76
Female	0.59	0	NC*	<b><u>Stomach</u></b>			
Total	1.35	3	NC*	Male	1.92	1	NC*
<b><u>Kidney &amp; Renal Pelvis</u></b>				Female	1.04	1	NC*
Male	2.95	3	NC*	Total	2.96	2	NC*
Female	1.71	3	NC*	<b><u>Testis</u></b>			
Total	4.67	6	129	Male	1.15	2	NC*
<b><u>Larynx</u></b>				<b><u>Thyroid</u></b>			
Male	1.64	0	NC*	Male	0.74	0	NC*
Female	0.41	0	NC*	Female	2.05	2	NC*
Total	2.05	0	NC*	Total	2.79	2	NC*
<b><u>Leukemia</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.35	2	NC*	Female	5.91	4	NC*
Female	1.79	1	NC*	<b><u>All Sites / Types</u></b>			
Total	4.13	3	NC*	Male	96.13	78	81
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				Female	90.88	90	99
Male	1.28	3	NC*	Total	187.01	168	90
Female	0.43	1	NC*				
Total	1.71	4	NC*				
<b><u>Lung and Bronchus</u></b>							
Male	14.49	7	48 #				
Female	11.90	9	76				
Total	26.39	16	61 #				

Note: Explanation of all symbols is on page 361

# Southbridge

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	11.86	18	152	Male	7.85	4	NC*
Female	5.49	2	NC*	Female	6.85	2	NC*
Total	17.35	20	115	Total	14.70	6	41 #-
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.57	9	252 #+	Male	2.33	4	NC*
Female	3.41	4	NC*	Female	2.56	1	NC*
Total	6.98	13	186	Total	4.88	5	102
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.55	1	NC*	Male	9.24	7	76
Female	76.66	73	95	Female	9.95	9	90
Total	77.21	74	96	Total	19.19	16	83
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.91	4	NC*	Male	6.66	5	75
				Female	4.03	6	149
				Total	10.69	11	103
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	29.32	29	99	Female	8.94	11	123
Female	36.34	30	83				
Total	65.67	59	90				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.02	0	NC*	Male	5.12	8	156
Female	1.70	1	NC*	Female	7.02	7	100
Total	5.72	1	NC*	Total	12.14	15	124
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.62	2	NC*	Male	69.65	67	96
Female	1.50	2	NC*				
Total	3.13	4	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	6.65	7	105	Male	5.14	3	NC*
Female	4.80	1	NC*	Female	4.06	3	NC*
Total	11.45	8	70	Total	9.20	6	65
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.48	9	258 #+	Male	2.58	3	NC*
Female	1.01	1	NC*				
Total	4.49	10	223 #+				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	5.80	4	NC*	Male	1.48	0	NC*
Female	5.55	6	108	Female	4.56	3	NC*
Total	11.35	10	88	Total	6.04	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.83	2	NC*	Female	14.30	6	42 #-
Female	1.52	1	NC*				
Total	4.34	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	35.83	40	112	Male	231.67	243	105
Female	34.68	17	49 ~-	Female	259.71	209	80 ~-
Total	70.52	57	81	Total	491.38	452	92

# Southwick

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.69	4	NC*	Male	3.84	5	130
Female	1.55	3	NC*	Female	2.84	6	211
Total	6.24	7	112	Total	6.68	11	165
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.80	2	NC*	Male	1.01	0	NC*
Female	1.35	1	NC*	Female	0.82	1	NC*
Total	3.14	3	NC*	Total	1.83	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.25	0	NC*	Male	4.23	2	NC*
Female	31.89	30	94	Female	3.34	5	150
Total	32.14	30	93	Total	7.57	7	92
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.82	1	NC*	Male	3.48	1	NC*
				Female	1.48	0	NC*
				Total	4.96	1	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	11.99	9	75	Female	3.67	4	NC*
Female	10.00	7	70				
Total	21.99	16	73				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.89	2	NC*	Male	2.20	2	NC*
Female	0.48	0	NC*	Female	1.95	4	NC*
Total	2.37	2	NC*	Total	4.15	6	144
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.85	1	NC*	Male	32.61	26	80
Female	0.66	0	NC*				
Total	1.52	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	3.21	4	NC*	Male	2.12	2	NC*
Female	1.79	2	NC*	Female	1.07	2	NC*
Total	4.99	6	120	Total	3.19	4	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.76	2	NC*	Male	1.33	2	NC*
Female	0.42	0	NC*				
Total	2.18	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.58	2	NC*	Male	0.82	0	NC*
Female	1.87	0	NC*	Female	2.25	3	NC*
Total	4.45	2	NC*	Total	3.07	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.39	2	NC*	Female	6.10	7	115
Female	0.44	1	NC*				
Total	1.83	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	15.68	24	153	Male	104.48	99	95
Female	12.34	11	89	Female	94.39	93	99
Total	28.02	35	125	Total	198.87	192	97

Note: Explanation of all symbols is on page 361

# Spencer

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	7.31	7	96	Male	5.40	1	NC*
Female	2.57	4	NC*	Female	4.16	3	NC*
Total	9.87	11	111	Total	9.56	4	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	2.49	1	NC*	Male	1.52	0	NC*
Female	2.01	1	NC*	Female	1.29	2	NC*
Total	4.50	2	NC*	Total	2.81	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.37	0	NC*	Male	6.11	8	131
Female	45.83	40	87	Female	5.25	10	191
Total	46.20	40	87	Total	11.35	18	159
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	2.60	7	270 #+	Male	4.82	2	NC*
				Female	2.22	3	NC*
				Total	7.04	5	71
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	18.48	10	54 #-	Female	5.34	8	150
Female	16.79	18	107				
Total	35.28	28	79				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.78	3	NC*	Male	3.32	6	181
Female	0.79	0	NC*	Female	3.27	1	NC*
Total	3.57	3	NC*	Total	6.58	7	106
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.13	3	NC*	Male	48.84	28	57 ~-
Female	0.99	3	NC*				
Total	2.12	6	283 #+				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	4.58	7	153	Male	3.21	0	NC*
Female	2.69	3	NC*	Female	1.81	2	NC*
Total	7.26	10	138	Total	5.03	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	2.52	0	NC*	Male	1.76	1	NC*
Female	0.61	0	NC*				
Total	3.12	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	3.74	2	NC*	Male	1.09	2	NC*
Female	2.89	6	208	Female	3.19	5	157
Total	6.63	8	121	Total	4.28	7	164
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.98	0	NC*	Female	8.65	6	69
Female	0.73	1	NC*				
Total	2.71	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	23.87	22	92	Male	155.39	112	72 ^-
Female	18.89	27	143	Female	142.68	157	110
Total	42.76	49	115	Total	298.07	269	90

Note: Explanation of all symbols is on page 361

# Springfield

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	80.46	73	91	Male	57.07	32	56 ^-
Female	35.30	32	91	Female	52.05	30	58 ~-
Total	115.76	105	91	Total	109.12	62	57 ^-
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	27.36	21	77	Male	16.21	21	130
Female	25.95	23	89	Female	17.10	11	64
Total	53.30	44	83	Total	33.31	32	96
<b><u>Breast</u></b>				<b><u>Non-Hodgkin'(s) Lymphoma</u></b>			
Male	3.92	5	127	Male	66.42	70	105
Female	563.96	503	89 ~-	Female	69.14	58	84
Total	567.88	508	89 #-	Total	135.56	128	94
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	31.82	32	101	Male	48.67	55	113
				Female	28.37	24	85
				Total	77.04	79	103
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	201.29	209	104	Female	66.41	56	84
Female	231.96	224	97				
Total	433.25	433	100				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	28.65	41	143 #+	Male	35.48	38	107
Female	10.90	16	147	Female	45.01	33	73
Total	39.55	57	144 #+	Total	80.49	71	88
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	13.12	11	84	Male	499.84	498	100
Female	12.77	6	47				
Total	25.89	17	66				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	47.89	50	104	Male	34.98	33	94
Female	34.24	35	102	Female	25.50	29	114
Total	82.13	85	103	Total	60.49	62	103
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	25.35	33	130	Male	21.26	15	71
Female	7.42	4	NC*				
Total	32.77	37	113				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	42.11	30	71	Male	11.51	5	43
Female	38.77	24	62 #-	Female	39.02	35	90
Total	80.88	54	67 ~-	Total	50.54	40	79
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	20.47	32	156 #+	Female	105.03	113	108
Female	9.91	12	121				
Total	30.38	44	145 #+				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	252.80	280	111	Male	1647.54	1676	102
Female	242.03	209	86 #-	Female	1830.24	1645	90 ^-
Total	494.82	489	99	Total	3477.79	3321	95 ~-

Note: Explanation of all symbols is on page 361

# Sterling

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.21	2	NC*	Male	3.46	2	NC*
Female	1.39	3	NC*	Female	2.49	2	NC*
Total	5.60	5	89	Total	5.95	4	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.60	2	NC*	Male	0.93	2	NC*
Female	1.17	1	NC*	Female	0.74	1	NC*
Total	2.77	3	NC*	Total	1.66	3	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.23	0	NC*	Male	3.78	5	132
Female	28.57	28	98	Female	2.94	3	NC*
Total	28.79	28	97	Total	6.72	8	119
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.56	1	NC*	Male	3.19	3	NC*
				Female	1.33	0	NC*
				Total	4.52	3	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	10.77	10	93	Female	3.25	2	NC*
Female	9.05	5	55				
Total	19.82	15	76				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.73	2	NC*	Male	1.99	2	NC*
Female	0.43	0	NC*	Female	1.75	2	NC*
Total	2.16	2	NC*	Total	3.74	4	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.72	0	NC*	Male	29.95	29	97
Female	0.54	3	NC*				
Total	1.26	3	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.94	3	NC*	Male	1.89	0	NC*
Female	1.58	0	NC*	Female	0.97	1	NC*
Total	4.52	3	NC*	Total	2.86	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.63	0	NC*	Male	1.06	4	NC*
Female	0.38	0	NC*				
Total	2.00	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.31	3	NC*	Male	0.72	0	NC*
Female	1.66	2	NC*	Female	1.90	2	NC*
Total	3.97	5	126	Total	2.62	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.27	2	NC*	Female	5.49	5	91
Female	0.40	0	NC*				
Total	1.67	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	14.32	6	42 #	Male	94.65	84	89
Female	10.93	13	119	Female	84.19	82	97
Total	25.25	19	75	Total	178.84	166	93

Note: Explanation of all symbols is on page 361

# Stockbridge

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.97	2	NC*	Male	1.30	1	NC*
Female	0.77	1	NC*	Female	1.06	1	NC*
Total	2.74	3	NC*	Total	2.36	2	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.55	1	NC*	Male	0.40	0	NC*
Female	0.49	0	NC*	Female	0.38	1	NC*
Total	1.05	1	NC*	Total	0.78	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.10	2	NC*	Male	1.50	2	NC*
Female	12.58	11	87	Female	1.45	0	NC*
Total	12.67	13	103	Total	2.94	2	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.61	0	NC*	Male	1.14	2	NC*
				Female	0.63	0	NC*
				Total	1.77	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	4.89	6	123	Female	1.43	1	NC*
Female	5.03	6	119				
Total	9.92	12	121				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.70	2	NC*	Male	0.86	0	NC*
Female	0.24	1	NC*	Female	0.98	1	NC*
Total	0.93	3	NC*	Total	1.84	1	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.22	0	NC*	Male	12.26	9	73
Female	0.20	0	NC*				
Total	0.42	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	1.15	0	NC*	Male	0.84	1	NC*
Female	0.75	0	NC*	Female	0.55	1	NC*
Total	1.89	0	NC*	Total	1.39	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.62	2	NC*	Male	0.31	0	NC*
Female	0.17	0	NC*				
Total	0.79	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.92	0	NC*	Male	0.23	0	NC*
Female	0.77	0	NC*	Female	0.70	0	NC*
Total	1.69	0	NC*	Total	0.93	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.49	0	NC*	Female	2.43	0	NC*
Female	0.21	0	NC*				
Total	0.70	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	6.21	5	80	Male	39.21	37	94 >
Female	5.40	4	NC*	Female	39.71	28	71 >
Total	11.61	9	78	Total	78.93	65	82 >

# Stoneham

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	16.08	10	62	Male	10.97	11	100
Female	6.89	7	102	Female	8.99	11	122
Total	22.97	17	74	Total	19.96	22	110
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	4.84	2	NC*	Male	3.24	3	NC*
Female	4.34	6	138	Female	3.29	1	NC*
Total	9.17	8	87	Total	6.52	4	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.78	0	NC*	Male	12.62	9	71
Female	102.86	137	133 ~+	Female	12.73	10	79
Total	103.63	137	132 ~+	Total	25.35	19	75
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	5.18	7	135	Male	9.59	10	104
				Female	5.28	6	114
				Total	14.87	16	108
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	40.18	50	124	Female	11.90	16	135
Female	45.23	53	117				
Total	85.41	103	121				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	5.76	5	87	Male	7.09	13	183
Female	2.13	1	NC*	Female	8.80	18	205 ~+
Total	7.89	6	76	Total	15.88	31	195 ~+
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.11	7	332 #+	Male	101.61	109	107
Female	1.88	1	NC*				
Total	3.99	8	201				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	9.39	15	160	Male	6.96	8	115
Female	6.33	7	111	Female	5.01	5	100
Total	15.71	22	140	Total	11.98	13	109
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	5.10	6	118	Male	3.28	3	NC*
Female	1.39	0	NC*				
Total	6.48	6	93				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	7.70	9	117	Male	2.07	3	NC*
Female	6.93	5	72	Female	6.01	6	100
Total	14.63	14	96	Total	8.08	9	111
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	4.03	1	NC*	Female	19.47	20	103
Female	1.91	5	262				
Total	5.94	6	101				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	50.80	58	114	Male	325.68	352	108
Female	45.78	44	96	Female	338.34	380	112 #+
Total	96.58	102	106	Total	664.03	732	110 ~+



# Stoughton

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	18.49	23	124	Male	13.59	7	52
Female	7.07	7	99	Female	10.84	16	148
Total	25.56	30	117	Total	24.43	23	94
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	6.16	7	114	Male	3.83	2	NC*
Female	5.17	5	97	Female	3.55	3	NC*
Total	11.33	12	106	Total	7.38	5	68
<b><u>Breast</u></b>				<b><u>Non-Hodgkin's Lymphoma</u></b>			
Male	0.93	0	NC*	Male	15.37	25	163 #+
Female	122.72	141	115	Female	14.10	15	106
Total	123.65	141	114	Total	29.46	40	136
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	6.61	7	106	Male	12.02	10	83
				Female	6.01	7	117
				Total	18.02	17	94
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	46.69	50	107	Female	14.20	11	77
Female	45.98	45	98				
Total	92.67	95	103				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	6.97	5	72	Male	8.35	3	NC*
Female	2.18	0	NC*	Female	9.00	11	122
Total	9.15	5	55	Total	17.35	14	81
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	2.83	7	248	Male	122.61	122	100
Female	2.41	1	NC*				
Total	5.24	8	153				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	11.51	8	70	Male	8.08	5	62
Female	7.27	13	179	Female	4.99	5	100
Total	18.78	21	112	Total	13.07	10	77
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	6.30	1	NC*	Male	4.48	4	NC*
Female	1.67	1	NC*				
Total	7.97	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	9.34	9	96	Male	2.73	4	NC*
Female	7.61	3	NC*	Female	7.96	4	NC*
Total	16.95	12	71	Total	10.68	8	75
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	4.96	3	NC*	Female	23.40	19	81
Female	1.99	1	NC*				
Total	6.95	4	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	60.31	49	81	Male	390.96	372	95
Female	51.79	59	114	Female	383.77	407	106
Total	112.10	108	96	Total	774.73	779	101

Note: Explanation of all symbols is on page 361

# Stow

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	2.85	1	NC*	Male	2.45	3	NC*
Female	0.94	0	NC*	Female	1.78	5	281
Total	3.79	1	NC*	Total	4.23	8	189
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.14	1	NC*	Male	0.64	0	NC*
Female	0.83	3	NC*	Female	0.51	0	NC*
Total	1.97	4	NC*	Total	1.15	0	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.15	0	NC*	Male	2.64	4	NC*
Female	20.50	28	137	Female	2.02	0	NC*
Total	20.65	28	136	Total	4.67	4	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.13	0	NC*	Male	2.31	0	NC*
				Female	0.94	2	NC*
				Total	3.24	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	7.35	8	109	Female	2.31	0	NC*
Female	6.15	5	81				
Total	13.51	13	96				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.22	0	NC*	Male	1.38	0	NC*
Female	0.29	0	NC*	Female	1.18	2	NC*
Total	1.52	0	NC*	Total	2.56	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.51	0	NC*	Male	20.94	19	91
Female	0.38	1	NC*				
Total	0.89	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.08	0	NC*	Male	1.30	0	NC*
Female	1.10	2	NC*	Female	0.66	1	NC*
Total	3.18	2	NC*	Total	1.97	1	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.16	0	NC*	Male	0.71	0	NC*
Female	0.26	0	NC*				
Total	1.42	0	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	1.62	2	NC*	Male	0.51	0	NC*
Female	1.17	0	NC*	Female	1.38	0	NC*
Total	2.79	2	NC*	Total	1.89	0	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.90	0	NC*	Female	3.94	1	NC*
Female	0.27	0	NC*				
Total	1.17	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	9.84	7	71	Male	65.85	46	70 #->
Female	7.49	6	80	Female	59.16	56	95 >
Total	17.33	13	75	Total	125.01	102	82 #->

# Sturbridge

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	5.32	8	150	Male	3.96	3	NC*
Female	1.86	1	NC*	Female	2.96	3	NC*
Total	7.18	9	125	Total	6.92	6	87
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.79	0	NC*	Male	1.12	1	NC*
Female	1.43	0	NC*	Female	0.95	1	NC*
Total	3.22	0	NC*	Total	2.07	2	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.27	0	NC*	Male	4.43	11	248 #+
Female	33.83	26	77	Female	3.79	6	158
Total	34.10	26	76	Total	8.22	17	207 ~+
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.81	2	NC*	Male	3.58	3	NC*
				Female	1.63	1	NC*
				Total	5.22	4	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	13.46	13	97	Female	3.89	4	NC*
Female	12.09	18	149				
Total	25.55	31	121				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	2.05	0	NC*	Male	2.43	1	NC*
Female	0.57	0	NC*	Female	2.36	2	NC*
Total	2.63	0	NC*	Total	4.79	3	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.77	0	NC*	Male	35.95	31	86
Female	0.65	0	NC*				
Total	1.43	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	3.40	3	NC*	Male	2.34	4	NC*
Female	1.98	2	NC*	Female	1.29	1	NC*
Total	5.38	5	93	Total	3.63	5	138
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.87	1	NC*	Male	1.13	1	NC*
Female	0.46	0	NC*				
Total	2.33	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.72	5	184	Male	0.78	0	NC*
Female	2.06	1	NC*	Female	2.18	2	NC*
Total	4.78	6	125	Total	2.96	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.47	1	NC*	Female	6.50	7	108
Female	0.53	2	NC*				
Total	1.99	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	17.51	18	103	Male	113.65	112	99
Female	14.06	4	NC*	Female	104.13	88	85
Total	31.58	22	70	Total	217.78	200	92

Note: Explanation of all symbols is on page 361

# Sudbury

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	9.41	9	96	Male	7.57	10	132
Female	2.89	3	NC*	Female	5.40	10	185
Total	12.30	12	98	Total	12.97	20	154
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.47	2	NC*	Male	2.06	3	NC*
Female	2.53	1	NC*	Female	1.59	1	NC*
Total	6.00	3	NC*	Total	3.65	4	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.50	0	NC*	Male	8.21	6	73
Female	63.90	80	125	Female	6.28	2	NC*
Total	64.41	80	124	Total	14.49	8	55
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.37	2	NC*	Male	7.18	3	NC*
				Female	2.92	4	NC*
				Total	10.10	7	69
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	24.25	15	62	Female	7.21	8	111
Female	18.48	16	87				
Total	42.73	31	73				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	3.98	2	NC*	Male	4.49	8	178
Female	0.90	2	NC*	Female	3.62	6	166
Total	4.87	4	NC*	Total	8.11	14	173
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.45	0	NC*	Male	70.38	59	84
Female	1.13	1	NC*				
Total	2.57	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	6.52	3	NC*	Male	4.21	6	142
Female	3.51	2	NC*	Female	1.96	2	NC*
Total	10.04	5	50	Total	6.18	8	130
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.73	3	NC*	Male	2.00	3	NC*
Female	0.87	0	NC*				
Total	4.60	3	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	4.98	5	100	Male	1.54	2	NC*
Female	3.53	0	NC*	Female	4.08	6	147
Total	8.51	5	59	Total	5.61	8	143
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.86	3	NC*	Female	12.51	8	64
Female	0.83	0	NC*				
Total	3.68	3	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	32.81	17	52 ~-	Male	214.60	172	80 ~-
Female	24.32	24	99	Female	183.54	190	104
Total	57.13	41	72 #-	Total	398.14	362	91

# Sunderland

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	1.40	0	NC*	Male	1.27	2	NC*
Female	0.51	0	NC*	Female	1.09	0	NC*
Total	1.90	0	NC*	Total	2.36	2	NC*
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	0.62	0	NC*	Male	0.30	0	NC*
Female	0.49	0	NC*	Female	0.26	1	NC*
Total	1.11	0	NC*	Total	0.56	1	NC*
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.08	0	NC*	Male	1.43	3	NC*
Female	10.23	15	147	Female	1.15	1	NC*
Total	10.31	15	146	Total	2.58	4	NC*
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	0.77	0	NC*	Male	1.02	0	NC*
				Female	0.47	0	NC*
				Total	1.49	0	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	3.58	2	NC*	Female	1.24	1	NC*
Female	3.32	3	NC*				
Total	6.91	5	72				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	0.53	0	NC*	Male	0.65	2	NC*
Female	0.16	0	NC*	Female	0.63	0	NC*
Total	0.69	0	NC*	Total	1.28	2	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.39	0	NC*	Male	8.88	12	135
Female	0.33	0	NC*				
Total	0.72	0	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	0.97	0	NC*	Male	0.63	1	NC*
Female	0.56	1	NC*	Female	0.37	1	NC*
Total	1.53	1	NC*	Total	1.00	2	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	0.49	1	NC*	Male	0.76	0	NC*
Female	0.12	0	NC*				
Total	0.61	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	0.85	1	NC*	Male	0.32	0	NC*
Female	0.64	0	NC*	Female	1.02	1	NC*
Total	1.49	1	NC*	Total	1.34	1	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	0.41	0	NC*	Female	1.79	2	NC*
Female	0.15	0	NC*				
Total	0.56	0	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	4.56	4	NC*	Male	31.38	30	96 >
Female	3.67	1	NC*	Female	31.13	30	96 >
Total	8.23	5	61	Total	62.50	60	96

Note: Explanation of all symbols is on page 361

# Sutton

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	4.40	1	NC*	Male	3.53	2	NC*
Female	1.34	1	NC*	Female	2.52	3	NC*
Total	5.74	2	NC*	Total	6.04	5	83
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	1.62	2	NC*	Male	0.94	1	NC*
Female	1.21	1	NC*	Female	0.71	4	NC*
Total	2.83	3	NC*	Total	1.66	5	302
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.22	0	NC*	Male	3.88	3	NC*
Female	28.03	16	57 #	Female	2.92	2	NC*
Total	28.25	16	57 #	Total	6.81	5	73
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	1.62	1	NC*	Male	3.24	2	NC*
				Female	1.30	0	NC*
				Total	4.54	2	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	11.18	7	63	Female	3.23	2	NC*
Female	8.77	6	68				
Total	19.95	13	65				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	1.76	2	NC*	Male	2.06	2	NC*
Female	0.42	1	NC*	Female	1.69	2	NC*
Total	2.17	3	NC*	Total	3.75	4	NC*
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	0.73	2	NC*	Male	30.00	26	87
Female	0.60	2	NC*				
Total	1.33	4	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	2.97	3	NC*	Male	2.00	3	NC*
Female	1.55	2	NC*	Female	0.94	1	NC*
Total	4.52	5	111	Total	2.94	4	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	1.63	2	NC*	Male	1.09	2	NC*
Female	0.36	0	NC*				
Total	1.99	2	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	2.38	1	NC*	Male	0.73	0	NC*
Female	1.68	3	NC*	Female	2.01	2	NC*
Total	4.05	4	NC*	Total	2.74	2	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	1.28	1	NC*	Female	5.33	6	113
Female	0.39	0	NC*				
Total	1.67	1	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	14.42	14	97	Male	96.30	79	82 >
Female	10.62	11	104	Female	82.79	71	86
Total	25.04	25	100	Total	179.09	150	84 #

# Swampscott

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	11.76	10	85	Male	7.93	20	252 ^+
Female	4.48	9	201	Female	6.28	3	NC*
Total	16.24	19	117	Total	14.21	23	162 #+
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.43	3	NC*	Male	2.39	2	NC*
Female	3.04	5	165	Female	2.22	3	NC*
Total	6.47	8	124	Total	4.61	5	109
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.57	0	NC*	Male	9.06	5	55
Female	73.54	83	113	Female	8.65	6	69
Total	74.10	83	112	Total	17.71	11	62
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.67	1	NC*	Male	7.07	1	NC*
				Female	3.67	3	NC*
				Total	10.74	4	NC*
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	29.31	22	75	Female	8.42	12	142
Female	29.38	27	92				
Total	58.69	49	83				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.24	6	141	Male	5.20	6	115
Female	1.39	1	NC*	Female	5.73	5	87
Total	5.63	7	124	Total	10.92	11	101
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.36	0	NC*	Male	74.72	101	135 ~+
Female	1.28	1	NC*				
Total	2.65	1	NC*				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	6.91	12	174	Male	5.08	3	NC*
Female	4.42	6	136	Female	3.15	5	159
Total	11.34	18	159	Total	8.24	8	97
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	3.77	1	NC*	Male	1.92	1	NC*
Female	1.01	0	NC*				
Total	4.78	1	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	5.56	5	90	Male	1.42	2	NC*
Female	4.62	5	108	Female	4.28	1	NC*
Total	10.18	10	98	Total	5.70	3	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	2.97	4	NC*	Female	14.16	15	106
Female	1.25	1	NC*				
Total	4.22	5	118				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	37.21	28	75	Male	237.35	249	105
Female	32.14	37	115	Female	233.82	250	107
Total	69.35	65	94	Total	471.17	499	106

Note: Explanation of all symbols is on page 361

# Swansea

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<b><u>Bladder, Urinary</u></b>				<b><u>Melanoma of Skin</u></b>			
Male	11.89	6	50	Male	8.47	4	NC*
Female	4.31	2	NC*	Female	6.30	2	NC*
Total	16.20	8	49 #-	Total	14.78	6	41 #-
<b><u>Brain and Other Nervous System</u></b>				<b><u>Multiple Myeloma</u></b>			
Male	3.75	4	NC*	Male	2.45	4	NC*
Female	3.02	4	NC*	Female	2.17	2	NC*
Total	6.77	8	118	Total	4.62	6	130
<b><u>Breast</u></b>				<b><u>Non-Hodgkin('s) Lymphoma</u></b>			
Male	0.59	0	NC*	Male	9.57	8	84
Female	73.91	65	88	Female	8.44	5	59
Total	74.50	65	87	Total	18.02	13	72
<b><u>Cervix Uteri</u></b>				<b><u>Oral Cavity &amp; Pharynx</u></b>			
Female	3.73	5	134	Male	7.61	5	66
				Female	3.63	2	NC*
				Total	11.24	7	62
<b><u>Colon / Rectum</u></b>				<b><u>Ovary</u></b>			
Male	29.91	28	94	Female	8.45	8	95
Female	28.10	20	71				
Total	58.01	48	83				
<b><u>Esophagus</u></b>				<b><u>Pancreas</u></b>			
Male	4.45	5	112	Male	5.35	4	NC*
Female	1.33	2	NC*	Female	5.49	10	182
Total	5.79	7	121	Total	10.84	14	129
<b><u>Hodgkin's Disease (Hodgkin Lymphoma)</u></b>				<b><u>Prostate</u></b>			
Male	1.59	2	NC*	Male	78.32	93	119
Female	1.29	3	NC*				
Total	2.88	5	174				
<b><u>Kidney &amp; Renal Pelvis</u></b>				<b><u>Stomach</u></b>			
Male	7.28	5	69	Male	5.20	3	NC*
Female	4.39	4	NC*	Female	3.02	1	NC*
Total	11.67	9	77	Total	8.22	4	NC*
<b><u>Larynx</u></b>				<b><u>Testis</u></b>			
Male	4.01	3	NC*	Male	2.36	0	NC*
Female	1.02	1	NC*				
Total	5.03	4	NC*				
<b><u>Leukemia</u></b>				<b><u>Thyroid</u></b>			
Male	5.82	4	NC*	Male	1.62	1	NC*
Female	4.53	2	NC*	Female	4.37	3	NC*
Total	10.36	6	58	Total	5.99	4	NC*
<b><u>Liver and Intrahepatic Bile Ducts</u></b>				<b><u>Uteri, Corpus and Uterus, NOS</u></b>			
Male	3.14	2	NC*	Female	14.27	10	70
Female	1.21	0	NC*				
Total	4.35	2	NC*				
<b><u>Lung and Bronchus</u></b>				<b><u>All Sites / Types</u></b>			
Male	38.44	45	117	Male	247.83	240	97
Female	31.61	23	73	Female	231.06	181	78 ^-
Total	70.05	68	97	Total	478.89	421	88 ~-